

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
prilaku * status	45	100.0%	0	.0%	45	100.0%

**prilaku \* status Crosstabulation**

			status		Total
			sakit	tidak sakit	
prilaku	buruk	Count	17	8	25
		% within prilaku	68.0%	32.0%	100.0%
		% within status	58.6%	50.0%	55.6%
		% of Total	37.8%	17.8%	55.6%
	baik	Count	12	8	20
		% within prilaku	60.0%	40.0%	100.0%
		% within status	41.4%	50.0%	44.4%
		% of Total	26.7%	17.8%	44.4%
Total		Count	29	16	45
		% within prilaku	64.4%	35.6%	100.0%
		% within status	100.0%	100.0%	100.0%
		% of Total	64.4%	35.6%	100.0%

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.310 <sup>a</sup>	1	.577		
Continuity Correction <sup>b</sup>	.059	1	.807		
Likelihood Ratio	.310	1	.578		
Fisher's Exact Test				.755	.403
Linear-by-Linear Association	.303	1	.582		
McNemar Test				.503 <sup>c</sup>	
N of Valid Cases	45				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.11.

b. Computed only for a 2x2 table

c. Binomial distribution used.

#### Directional Measures

			Value
Nominal by Interval	Eta	prilaku Dependent	.083
		status Dependent	.083

#### Symmetric Measures

		Value	Asymp. Std. Error <sup>a</sup>	Approx. T <sup>b</sup>	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.083			.577
Measure of Agreement	Kappa	.082	.147	.557	.577
N of Valid Cases		45			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for prilaku (buruk / baik)	1.417	.415	4.834
For cohort status = sakit	1.133	.724	1.773
For cohort status = tidak sakit	.800	.365	1.752
N of Valid Cases	45		