

ABSTRAK

ASUHAN KEPERAWATAN PADA KLIEN POST OP PROSTATEKTOMI DI RUANG BOUGENVILE RSUD DR R KOESMA TUBAN

Oleh :
Yuni Ardiana Savita
NIM. P27820517001

Benigna Prostat Hipeplasia (BPH) merupakan penyakit yang menyerang pria dengan usia lanjut. BPH memerlukan tindakan pembedahan dan tindakan pembedahan yang paling efektif yaitu dengan prostatektomi terbuka. Menurut Data Rekam Medis RSUD Dr. R. Koesma Tuban yang menjalani operasi prostatektomi pada tahun 2017 sebesar 91 orang, tahun 2018 95 orang dan pada tahun 2019 menurun menjadi 84 orang. Penelitian ini bertujuan untuk mendeskripsikan asuhan keperawatan pada klien post op prostatektomi di Ruang Bougenvile RSUD Dr. R. Koesma Tuban.

Desain penelitian ini adalah deskriptif dalam bentuk studi kasus dengan pendekatan asuhan keperawatan. Penelitian dilakukan di Ruang Bougenvile dengan responden sebanyak 2 klien. Metode pengumpulan data dengan cara wawancara, pemeriksaan fisik dan pemeriksaan penunjang. Instrumen pengumpulan data menggunakan format pengkajian asuhan keperawatan medikal bedah sesuai ketentuan dan alat-alat pengukuran fisiologis. Data dianalisis dengan cara mengemukakan fakta, membandingkan dengan teori dan selanjutnya dituangkan dalam opini pembahasan.

Diagnosa keperawatan yang didapatkan pada kedua klien terdapat perbedaan dimana klien 1 ditemukan diagnosa risiko perfusi perifer tidak efektif, sedangkan pada klien 2 tidak ditemukan diagnosa tersebut dikarenakan klien 1 mengalami kondisi anemia ditandai dengan nilai hb yang kurang dari 10 dan lebih rendah dibanding dengan klien 2. Meskipun terdapat perbedaan diagnosa pada kedua klien, diagnosa yang menjadi prioritas memiliki persamaan yaitu risiko perdarahan berhubungan dengan rusaknya pembuluh darah perifer. Setelah dilakukan tindakan keperawatan 3 hari sesuai rencana yang telah disusun didapatkan data bahwa kedua klien tidak terjadi perdarahan dan tidak tampak adanya tanda-tanda perdarahan.

Sehingga diharapkan petugas kesehatan untuk terus memberikan pendidikan kepada klien dan keluarga untuk meningkatkan derajat kesehatan dan mencegah risiko terjadinya perdarahan pada klien post op prostatektomi.

Kata kunci : asuhan keperawatan, post op prostatektomi, risiko perdarahan

ABSTRAC

NURSING CARE ON CLIENT POST OP PROSTATECTOMY IN BOUGENVILE ROOM RSUD DR R KOESMA TUBAN

By:

Yuni Ardiana Savita
NIM P27820517001

Benign prostatic hyperplasia (BPH) is a disease that affects old age men. BPH requires surgery and the most effective surgery is open prostatectomy. According to the Medical Record data of RSUD dr. R. Koesma Tuban who underwent prostatectomy surgery in 2017 amounted to 91 people, in 2018 95 people and in 2019 decreased to 84 people. This study aims to describe nursing care in post-op prostatectomy clients in Bougenvile Room Dr. R. Koesma Tuban.

The design of this research was descriptive in the form of case studies with nursing care approach. The study was conducted in the Bougenvile room with 2 clients. Methods of data collection by interview, physical examination and supporting examinations. Data collection instruments used the format of assessment of surgical medical nursing care according to the provisions and physiological measurement tools. Data were analyzed by expressing the facts, comparing with theories and then formed in discussion opinion.

Nursing diagnoses obtained on the two clients there were differences where client 1 was found to be a risk diagnosis of peripheral perfusion ineffective, whereas client 2 did not find the diagnosis because client 1 had anemic condition marked by a hb value of less than 10 and lower than client 2. Although there were different diagnoses in the two clients, the priority diagnosis had in common was the risk of bleeding associated with peripheral vascular damage. After 3 days of nursing action according to the plan that had been compiled obtained data that the two clients did not occur bleeding and there were no signs of bleeding.

So it is expected that health workers will continue to provide education to clients and families to improve the degree of health and prevent the risk of bleeding in clients post-op prostatectomy.

Keywords: nursing care, post-op prostatectomy, risk of bleeding