

Lampiran 3

Hasil Uji Oneway Anova

Descriptives

kematian larva

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
0 :100	5	10.00	1.871	.837	7.68	12.32	8	12
25 : 75	5	16.20	2.168	.970	13.51	18.89	14	19
50 :50	5	21.60	1.517	.678	19.72	23.48	20	23
75 : 25	5	14.40	1.342	.600	12.73	16.07	13	16
100 : 0	5	8.40	1.817	.812	6.14	10.66	6	10
Total	25	14.12	5.052	1.010	12.03	16.21	6	23

Test of Homogeneity of Variances

kematian larva

Levene Statistic	df1	df2	Sig.
.806	4	20	.536

ANOVA

kematian larva

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	550.240	4	137.560	44.090	.000
Within Groups	62.400	20	3.120		
Total	612.640	24			

Post Hoc Tests

Multiple Comparisons

kematian larva

LSD

(I) kelompok perlakuan n	(J) kelompok perlakuan n	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
0 :100	25 : 75	-6.200*	1.117	.000	-8.53	-3.87
	50 :50	-11.600*	1.117	.000	-13.93	-9.27
	75 : 25	-4.400*	1.117	.001	-6.73	-2.07
	100 : 0	1.600	1.117	.168	-.73	3.93
25 : 75	0 :100	6.200*	1.117	.000	3.87	8.53
	50 :50	-5.400*	1.117	.000	-7.73	-3.07
	75 : 25	1.800	1.117	.123	-.53	4.13
	100 : 0	7.800*	1.117	.000	5.47	10.13
50 :50	0 :100	11.600*	1.117	.000	9.27	13.93
	25 : 75	5.400*	1.117	.000	3.07	7.73
	75 : 25	7.200*	1.117	.000	4.87	9.53
	100 : 0	13.200*	1.117	.000	10.87	15.53
75 : 25	0 :100	4.400*	1.117	.001	2.07	6.73
	25 : 75	-1.800	1.117	.123	-4.13	.53
	50 :50	-7.200*	1.117	.000	-9.53	-4.87
	100 : 0	6.000*	1.117	.000	3.67	8.33
100 : 0	0 :100	-1.600	1.117	.168	-3.93	.73
	25 : 75	-7.800*	1.117	.000	-10.13	-5.47
	50 :50	-13.200*	1.117	.000	-15.53	-10.87
	75 : 25	-6.000*	1.117	.000	-8.33	-3.67

*. The mean difference is significant at the 0.05 level.

Means Plots

