USIA

Chi-Square Tests

			Asymp. Sig.	Exact Sig. (2-	Exact Sig.	Point
	Value	df	(2-sided)	sided)	(1-sided)	Probability
Pearson Chi-Square	9.916ª	4	.042	.023		
Likelihood Ratio	12.992	4	.011	.025		
Fisher's Exact Test	8.656			.033		
Linear-by-Linear Association	8.921 ^b	1	.003	.001	.001	.001
N of Valid Cases	25					

a. 8 cells (80.0%) have expected count less than 5. The minimum expected count is 88.

TINGKAT PENDIDIKAN

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point Probability
Pearson Chi-Square	7.622ª	2	.022	.022		
Likelihood Ratio	9.188	2	.010	.019		
Fisher's Exact Test	7.091			.022		
Linear-by-Linear Association	7.232 ^b	1	.007	.010	.006	.005
N of Valid Cases	25					

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 1.76.

- b. The standardized statistic is
- 2.689.

b. The standardized statistic is 2.987.

KETERSEDIAAN

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	25.000a	1	.000		
Continuity Correction ^b	21.106	1	.000		
Likelihood Ratio	34.296	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	24.000	1	.000		
N of Valid Cases ^b	25				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.84.

b. Computed only for a 2x2 table