

## DAFTAR PUSTAKA

- [1] D. Yuliansyah, “Deteksi Kelelahan Otot Menggunakan Sinyal Emg Dan Detektor Gaya Pada Gerak Dasar Ekstensi Dan Fleksi Knee-Joint Untuk Evaluasi Penggunaan Functional Electrical Stimulation Pada Sistem Rehabilitasi Lower Limb,” *Sepuluh Nop. Inst. Technol.*, p. 171, 2017.
- [2] Y. Utama, “Pengaruh Pemberian Kopi Terhadap Kelelahan Otot,” *Skripsi*, pp. 15–19, 2010.
- [3] J. Han, S. Park, S. Jung, Y. Choi, and H. Song, “Comparisons of changes in the two-point discrimination test following muscle fatigue in healthy adults,” *J. Phys. Ther. Sci.*, vol. 27, no. 3, pp. 551–554, 2015, doi: 10.1589/jpts.27.551.
- [4] R. M. Enoka and J. Duchateau, “Muscle fatigue: What, why and how it influences muscle function,” *J. Physiol.*, vol. 586, no. 1, pp. 11–23, 2008, doi: 10.1113/jphysiol.2007.139477.
- [5] G. M. Um, J. S. Wang, and S. E. Park, “An analysis on muscle tone of lower limb muscles on flexible flat foot,” *J. Phys. Ther. Sci.*, vol. 27, no.

10, pp. 3089–3092, 2015, doi: 10.1589/jpts.27.3089.

- [6] R. J. Butler, H. P. Crowell, and I. M. C. Davis, “Lower extremity stiffness: Implications for performance and injury,” *Clin. Biomech.*, vol. 18, no. 6, pp. 511–517, 2003, doi: 10.1016/S0268-0033(03)00071-8.
- [7] J. S. Wang, “Therapeutic effects of massage and electrotherapy on muscle tone, stiffness and muscle contraction following gastrocnemius muscle fatigue,” *J. Phys. Ther. Sci.*, vol. 29, no. 1, pp. 144–147, 2017, doi: 10.1589/jpts.29.144.
- [8] Y. Setiawan, “Tens triangle and square wave microcontroller,” *PoltekkesKemenkkes Surabaya*, pp. 1–8, 2016.
- [9] L. Mahmunim, “Transcutaneous Electrical Nerve Stimulation Outcomes,” *Poltekkes Kemenkkes Surabaya*, pp. 1–8, 2018.
- [10] L. A. V. Ramos *et al.*, “Comparison Between Transcutaneous Electrical Nerve Stimulation and Stabilization Exercises in Fatigue and Transversus Abdominis Activation in Patients With Lumbar Disk Herniation: A Randomized

- Study,” *J. Manipulative Physiol. Ther.*, vol. 41, no. 4, pp. 323–331, 2018, doi: 10.1016/j.jmpt.2017.10.010.
- [11] J. S. R. Gaurav Raj, Neelam Rup Prakash, “IoT Based EMG Monitoring System,” *Int. Res. J. Eng. Technol.*, pp. 355–361, 2017.
- [12] M. Vromans and P. D. Faghri, “Functional electrical stimulation-induced muscular fatigue: Effect of fiber composition and stimulation frequency on rate of fatigue development,” *J. Electromyogr. Kinesiol.*, vol. 38, no. May 2017, pp. 67–72, 2018, doi: 10.1016/j.jelekin.2017.11.006.
- [13] M. Vromans and P. Faghri, “Electrical Stimulation Frequency and Skeletal Muscle Characteristics: Effects on Force and Fatigue,” *Eur. J. Transl. Myol.*, vol. 27, no. 4, pp. 239–245, 2017, doi: 10.4081/ejtm.2017.6816.
- [14] A. Kumar, S. K. Pahuja, and A. Singh, “Real time monitoring of muscle fatigue and muscle disorder of biceps brachii using Surface Electromyography (sEMG),” *ICSCCC 2018 - 1st Int. Conf. Secur.*

*CyberComput. Commun.*, pp. 401–405, 2018, doi:  
10.1109/ICSCCC.2018.8703279.

- [15] D. S. Hj Endang, H. Torib, and Risalia, “Rancang Bangun Elektrostimulator Berbasis Mikrokontroler,” *J. Ilmiah, Tek. Elektromedik, Politek. Kemenkes Surabaya, Surabaya*, 2014.
- [16] W. Yoon, “Monitoring muscle fatigue following continuous load changes,” *ULSAN Natl. Inst. Sci. Technol.*, pp. 1–53, 2020.
- [17] P. Mohana, “Muscle Fatigue Analysis Using EMG Obtained from IoT Based Neurorehabilitation Device,” *State Univ. New York*, pp. 1–24, 2020.
- [18] P. Gagnon *et al.*, “Impact of preinduced quadriceps fatigue on exercise response in chronic obstructive pulmonary disease and healthy subjects,” *J. Appl. Physiol.*, vol. 107, no. 3, pp. 832–840, 2009, doi:  
10.1152/jappphysiol.91546.2008.
- [19] G. Lattier, G. Y. Millet, A. Martin, and V. Martin, “Fatigue and recovery after high-intensity exercise. Part II: Recovery interventions,” *Int. J.*

*SportsMed.*, vol. 25, no. 7, pp. 509–515, 2004, doi: 10.1055/s-2004-820946.

- [20] Z. Lin and T. Yan, “Long-term effectiveness of neuromuscular electrical stimulation for promoting motor recovery of the upper extremity after stroke,” *J. Rehabil. Med.*, vol. 43, no. 6, pp. 506–510, 2011, doi: 10.2340/16501977-0807.
- [21] D. H. Kang, J. K. Jeon, and J. H. Lee, “Effects of low-frequency electrical stimulation on cumulative fatigue and muscle tone of the erector spinae,” *J. Phys. Ther. Sci.*, vol. 27, no. 1, pp. 105–108, 2015, doi: 10.1589/jpts.27.105.
- [22] M. S. Cho, R. J. Park, S. H. Park, Y. H. Cho, and G. A. Cheng, “The effect of microcurrent-inducing shoes on Fatigue and pain in Middle-age people with plantar fasciitis,” *J. Phys. Ther. Sci.*, vol. 19, no. 2, pp. 165–170, 2007, doi: 10.1589/jpts.19.165.
- [23] B. Triwahyu, E. Yulianto, and T. Indrato, “Kursi Roda Dengan Kontrol Sinyal EMG Berbasis Wireless Dilengkapi Sensor Pengaman Benturan (Parameter EMG),” *Poltekkes Kemenkkes Surabaya*, pp. 1–8, 2017.

- [24] A. B. Raharjo, B. Fatukhurrozi, and I. Nawawi, “Analisis sinyal electromyography (emg) pada otot biceps brachii untuk mendeteksi kelelahan otot dengan metode median frekuensi,” *J. Electr. Eng. Comput. Inf. Technol.*, vol. 1, pp. 1–5, 2020.
- [25] Fluke, B. (2012). *190M Series Medical ScopeMeter*.  
[https://www.flukebiomedical.com/sites/default/files/resources/190m\\_ENG\\_A\\_W.PDF](https://www.flukebiomedical.com/sites/default/files/resources/190m_ENG_A_W.PDF)