

## DAFTAR PUSTAKA

- [1] H. Elkheshen, I. Deni, A. Baalbaky, M. Dib, L. Hamawy, and M. A. Ali, "Semi-Automated Self-Monitored-Syringe Infusion Pump," in *2018 International Conference on Computer and Applications, ICCA 2018*, 2018, pp. 331–335, doi: 10.1109/COMAPP.2018.8460462.
- [2] G. Fico, J. Montalva, A. Medrano, N. Liappas, G. Cea, and M. T. Arredondo, "Testing of infusion pumps in healthcare institutions in Bosnia and Herzegovina," vol. 65, pp. 1089–1090, 2018, doi: 10.1007/978-981-10-5122-7.
- [3] F. R. Halim *et al.*, "RANCANG BANGUN SYRINGE PUMP MENGGUNAKAN MOTOR STEPPER DESIGNING AND REALIZING AN ARDUINO BASED SYRINGE PUMP WITH STEPPER MOTOR."
- [4] N. F. Hikmah, I. Sapuan, and Triwiyanto, "Rancang Bangun Syringe Pump Berbasis Mikrokontroler ATmega 8535 Dilengkapi Detektor Oklusi," *J. Phys. Appl.*, vol. 1, no. 3, pp. 74–91, 2013.

- [5] C. Series, “Calibration of Infusion Pumps Analyser,” 2018, doi: 10.1088/1742-6596/1065/9/092003.
- [6] Menteri kesehatan Republik Indonesia, “Peraturan Menteri Kesehatan Republik Indonesia Nomor 54 Tahun 2015 Tentang Pengujian Dan Kalibrasi Alat Kesehatan,” vol. 13, no. 3. pp. 1–32, 2015.
- [7] N. Thongpance, Y. Pititeeraphab, and M. Ophasphanichayakul, “The design and construction of infusion pump calibrator,” 2012, doi: 10.1109/BMEiCon.2012.6465429.
- [8] ECRI-416-0595, “Inspection and Preventive Maintenance,” vol. 1, no. 610.
- [9] N. Thongpance and K. Roongprasert, “Design and construction of infusion device analyzer,” *BMEiCON 2014 - 7th Biomed. Eng. Int. Conf.*, 2014, doi: 10.1109/BMEiCON.2014.7017377.
- [10] M. Safitri, H. Da Fonseca, and E. Loniza, “Short Text Message Based Infusion Fluid Level Monitoring System,” *J. Robot. Control*, vol. 2, no. 2, pp. 60–64, 2020, doi: 10.18196/jrc.2253.
- [11] P. Ajmera, “A Review Paper on Infrared sensor,” vol. 5, no. 23, pp. 1–3, 2017.

- [12] A. T. Rashid, O. A. Hasan, and R. S. Ali, "Performance Comparison of Two Infrared Sensor Types for Indoor Multi-Node Performance Comparison of Two Infrared Sensor Types for Indoor Multi-Node Communication," no. December, 2018, doi: 10.5120/ijca2018918272.
- [13] Y. E. Prastiyono, "Alat Kalibrasi Flow Rate Melalui Volume Pada Infus Pump Berbasis Mikrokontroler," no. 10, 2011.
- [14] D. K. J. R., G. B. C., D. V. Soundari, K. Priyadharsini, and S. P. Karthi, "A Novel System Design for Intravenous Infusion System Monitoring for Betterment of Health Monitoring System using ML- AI," *Int. J. Innov. Technol. Explor. Eng.*, vol. 9, no. 3, pp. 2649–2655, 2020, doi: 10.35940/ijitee.c8766.019320.
- [15] S. Pintasari, "Rancang Bangun Infusion Pump Analyzer," vol. 1, no. 1, p. 6, 2019, doi: 10.1234/jeeemi.v1i1.9xx.
- [16] N. Maulidia, A. Pudji, and M. Ridha, "Development of Infusion Device Analyzer with Infrared Photodiode Sensor for Drip Conversion of Flow Rate," vol. 2, no. 1, pp. 26–33, 2020.

- [17] A. Tavakoli Golpaygani, M. M. Movahedi, and M. Reza, "A study on performance and safety tests of defibrillator equipment," *J. Biomed. Phys. Eng.*, vol. 7, no. 4, pp. 397–402, 2017, doi: 10.22086/jbpe.v0i0.533.
- [18] K. Young *et al.*, "Simulation study on flow rate accuracy of infusion pumps in vibration conditions during emergency patient transport," *J. Clin. Monit. Comput.*, no. 0123456789, 2020, doi: 10.1007/s10877-020-00588-7.
- [19] G. P. Guide, "Metrology in Health Good Practices Guide," 2018.
- [20] D. F. Chau, T. Vasilopoulos, M. Schoepf, C. Zhang, and B. G. Fahy, "Syringe Pump Performance Maintained with IV Filter Use During Low Flow Rate Delivery for Pediatric Patients," vol. XXX, no. Xxx, pp. 1–10, 2016, doi: 10.1213/ANE.0000000000001273.
- [21] I. Together, "RIGEL MULTI-FLO," no. May, 2016.
- [22] J. V Alamelu and A. Mythili, "Examination of Control Parameters for Medical Grade Insulin Pump," *Int. J. Eng. Adv. Technol.*, vol. 9, no. 1S3,

pp. 19–22, 2019, doi:  
10.35940/ijeat.a1005.1291s319.

- [23] T. Poder *et al.*, “A Hazard Analysis of Class I Recalls of Infusion Pumps,” vol. 6, no. 2, pp. 1–20, 2019, doi: 10.2196/10366.
- [24] P. M. Bansode and V. B. Kulkarni, “Comparative Design and Synthesis of IR and Optical Sensors for Fluid Flowrate Using FPGA,” in *2015 International Conference on Computing Communication Control and Automation*, 2015, pp. 922–926, doi: 10.1109/ICCUBEA.2015.183.
- [25] J. Desember, E. Setyaningsih, and D. Prastiyanto, “Penggunaan Sensor Photodiode sebagai Sistem Deteksi Api pada Wahana Terbang Vertical Take-Off Landing (VTOL),” *J. Tek. Elektro*, vol. 9, no. 2, pp. 53–59, 2017.
- [26] D. Nataliana, N. Taryanan, and E. Riandita, “Alat Monitoring Infus Set pada Pasien Rawat Inap Berbasis Mikrokontroler ATmega 8535,” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 4, no. 1, p. 1, 2018, doi: 10.26760/elkomika.v4i1.1.
- [27] L. Louis, “Working Principle of Arduino and

Using it as a Tool for Study and Research,” *Int. J. Control. Autom. Commun. Syst.*, vol. 1, no. 2, pp. 21–29, 2016, doi: 10.5121/ijcacs.2016.1203.

- [28] R. Bangun, S. General, S. Untuk, M. Ecu, and M. Dengan, “Journal of Control and Network Systems RANCANG BANGUN SISTEM GENERAL DIAGNOSTIC,” vol. 4, no. 1, pp. 69–82, 2015.