

DAFTAR PUSTAKA

- [1] H. Elkheshen, I. Deni, A. Baalbaky, M. Dib, L. Hamawy, and M. A. Ali, “Semi-Automated Self-Monitored-Syringe Infusion Pump,” *2018 Int. Conf. Comput. Appl. ICCA 2018*, no. December 2019, pp. 331–335, 2018, doi: 10.1109/COMAPP.2018.8460462.
- [2] M. P. A. T. . Faizatul Rosyidah, Tri Bowo Indarto, “Monitoring Tetesan Infuse Pump dan Syringe Pump,” *Tugas Akhir*, vol. 1, p. 9, 2018.
- [3] U. S. Ci, *Tohumu u u mouth ponti*, vol. 2. 2017.
- [4] G. P. Mahardhika and M. Herawati, “Rancang Bangun Perangkat Pengendali Debit Tetesan Infus Otomatis Untuk Proses Terapi Infus,” *Semin. Nas. Inform. Medis VI*, p. 21, 2015.
- [5] N. Muljodipo, S. R. U. A. Sompie, R. F. Robot, M. Eng, J. T. Elektro-ft, and E. Nuryantomuljodipogmailcom, “Rancang Bangun Otomatis Sistem Infus Pasien,” *J. Tek. Elektro dan Komput.*, vol. 4, no. 4, pp. 12–22, 2015, doi:

10.35793/jtek.4.4.2015.8567.

- [6] “PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 54 TAHUN 2015,” p. 2015, 2015, [Online]. Available: <http://weekly.cnbnews.com/news/article.html?no=124000>.
- [7] N. Thongpance, Y. Pititeeraphab, and M. Ophasphanichayakul, “The design and construction of infusion pump calibrator,” *5th 2012 Biomed. Eng. Int. Conf. BMEiCON 2012*, vol. 100, pp. 3–5, 2012, doi: 10.1109/BMEiCon.2012.6465429.
- [8] Y. E. Prastiyono and M. R. Wisnu Dwi Hardyanto, ST, Syaifudin, ST, “Alat Kalibrasi Flow Rate Melalui Volume Pada Infus Pump Berbasis Mikrokontroller,” no. 10, 2011.
- [9] M. Safitri, E. Loniza, U. M. Yogyakarta, and C. Author, “Short Text Message Based Infusion Fluid Level Monitoring System,” vol. 2, no. 2, pp. 60–64, 2021, doi: 10.18196/jrc.2253.
- [10] A. Tavakoli Golpaygani, M. M. Movahedi, M.

- Reza, and K. Hassani, “A study on performance and safety test of infusion pump devices,” *Biomed. Res.*, vol. 28, no. 12, pp. 5179–5181, 2017.
- [11] X. Wang, H. Zhou, and Y. Song, “Infrared infusion monitor based on data dimensionality reduction and logistics classifier,” *Processes*, vol. 8, no. 4, 2020, doi: 10.3390/PR8040437.
- [12] D. K. J. R, G. B. C, D. V Soundari, K. Priyadharsini, and S. P. Karthi, “A Novel System Design for Intravenous Infusion System Monitoring for Betterment of Health Monitoring System using ML- AI,” *Int. J. Innov. Technol. Explor. Eng.*, vol. 9, no. 3, pp. 2649–2655, 2020, doi: 10.35940/ijitee.c8766.019320.
- [13] B. Jung *et al.*, “Efficacy evaluation of syringe pump developed for continuous drug infusion,” *J. Dent. Anesth. Pain Med.*, vol. 16, no. 4, p. 303, 2016, doi: 10.17245/jdapm.2016.16.4.303.
- [14] D. F. Chau, T. Vasilopoulos, M. Schoepf, C. Zhang, and B. G. Fahy, “Syringe Pump Performance Maintained with IV Filter Use during

- Low Flow Rate Delivery for Pediatric Patients,”
Anesth. Analg., vol. 123, no. 3, pp. 705–714, 2016,
doi: 10.1213/ANE.0000000000001273.
- [15] S. Pintasari, A. Pudji, and I. D. G. H. Wisana,
“Rancang Bangun Infusion Pump Analyzer,” vol.
1, no. 1, p. 6, 2019, doi: 10.1234/jeeemi.v1i1.9xx.
- [16] N. Maulidia, A. Pudji, and M. Ridha,
“Development of Infusion Device Analyzer to
Calibrate Flow Rate of Infusion Device,” vol. 2,
no. 1, pp. 26–33, 2020.
- [17] L. A. Puspitosari, S. Syaifudin, and Sumber,
“Analisis Keakurasian Sensor Photodiode Pada
Parameter Flowrate Infusion Device Analyzer 2
Channel,” 2020, pp. 1–6.
- [18] S. Syaifudin, M. Ridha Mak’ruf, S. Luthfiyah, and
S. Sumber, “Design of Two *Channel* Infusion
Pump Analyzer Using Photo Diode Detector,”
*Indones. J. Electron. Electromed. Eng. Med.
informatics*, vol. 3, no. 2, pp. 65–69, 2021, doi:
10.35882/ijeeemi.v3i2.5.
- [19] J. Elektronika *et al.*, “Rancang Penganalisis

Perangkat Infus dengan Parameter Laju Aliran menggunakan Sensor Fotodiode Sensitif Tinggi Desain,” vol. 3, no. 2, pp. 39–44, 2021.

- [20] M. T. Zain, “Analisis Grafik Jaringan Komputer pada Sistem Monitoring yang di Implementasikan SNMP,” 2016.
- [21] P. T. Fania and E. Pratama, “Rigel Multi-Flo 4CH.”
- [22] J. V Alamelu and A. Mythili, “Examination of Control Parameters for Medical Grade Insulin Pump,” *Int. J. Eng. Adv. Technol.*, vol. 9, no. 1S3, pp. 19–22, 2019, doi: 10.35940/ijeat.a1005.1291s319.
- [23] A. K. Patel *et al.*, “Design and Fabrication of Infusion Pump to Control the Flow Rate of Solution for Synthesis of Zinc Oxide Nanomaterial,” vol. 14, no. 5, pp. 1091–1097, 2019.
- [24] A. D. W. I. Jayanti, “Halaman Judul Kalibrasi Infusion Pump Pt . Sinergi Indocal Sejahtera Semarang Halaman Pengesahan Kalibrasi Infusion

- Pump Pt . Sinergi Indocal Sejahtera,” 2018.
- [25] D. Nataliana, N. Taryana, and E. G. I. Riandita, “Alat Monitoring Infus Set pada Pasien Rawat Inap Berbasis Mikrokontroler ATmega 8535,” vol. 4, no. 1, pp. 1–15, 2016.
- [26] L. Louis, “Working Principle of Arduino and Using it as a Tool for Study and Research,” *Int. J. Control. Autom. Commun. Syst.*, vol. 1, no. 2, pp. 21–29, 2016, doi: 10.5121/ijcacs.2016.1203.
- [27] Atmel, “Arduino Mega 2560 Datasheet,” *Power*, pp. 1–7, 2015, [Online]. Available: <http://www.robotshop.com/content/PDF/ArduinoMega2560Datasheet.pdf>.
- [28] R. Bangun, S. General, S. Untuk, M. Ecu, and M. Dengan, “Journal of Control and Network Systems RANCANG BANGUN SISTEM GENERAL DIAGNOSTIC,” vol. 4, no. 1, pp. 69–82, 2015.