

DAFTAR PUSTAKA

- [1] I. Yudianti, S. Suprapti, and H. Hupitoyo, “Perbandingan Efektifitas Sterilisasi Panas Kering dan Desinfeksi Tingkat Tinggi Teknik Rebus terhadap Pertumbuhan Escherichia Coli,” *J. Pendidik. dan Pelayanan Kebidanan Indones.*, vol. 2, no. 1, p. 53, 2017, doi: 10.24198/ijemc.v2i1.66.
- [2] S. N. Syayakti, E. D. Setioningsih, and S. Sumber, “4 Channel Sterilizer Calibrator,” *Indones. J. Electron. Electromed. Eng. Med. informatics*, vol. 1, no. 2, pp. 65–70, 2020, doi: 10.35882/ijeeemi.v1i2.4.
- [3] A. Z. N. Aziza, E. Yulianto, and P. C. Nugraha, “Modifikasi Sterilisator Kering Merek Elitech di RSUD dr. Harjono S. Ponorogo,” no. 10, pp. 1–8, 2013.
- [4] D. Mussetyarsih, T. Indrato, and T. Hamzah, “Data Logger Temperature Meter Pada Autoclave,” p. 19750522, 2016.
- [5] K. Prawiroredjo, “Alat Sterilisasi Kering Dengan Kunci Otomatis Berbasis Mikrokontroler,” *JETri*,

vol. 13, p. 17, 2015.

- [6] I. K. Purohit and N. V. Gupta, “Temperature Mapping of Hot Air Oven (Dry Heat Sterilizer),,” vol. 11, no. 2, pp. 120–123, 2017.
- [7] R. B. Primaswara, P. C. Nugraha, and Lamidi, “DATA LOGGER TEMPERATURE METER PADA STERILISATOR KERING,” no. 2015, pp. 1–7, 2016.
- [8] C. D. Okwudibe and B. O. Akinloye, “Design And Simulation Of Temperature Data Logger,” *Am. J. Eng. Res.*, no. 6, pp. 14–19, 2017.
- [9] A. Iskandar, Muhamirin, and Lisah, “Sistem keamanan pintu berbasis arduino mega,” vol. 3, no. 2, pp. 99–104, 2017.
- [10] R. Harir, M. A. Novianta, and D. S. Kristiyana, “Jurnal Elektrikal , Volume 6 Nomor 1 , Juni 2019 , 1-10,” vol. 6, pp. 1–10, 2019, [Online]. Available:
<https://www.99.co/blog/indonesia/harga-pompa-air-mini/>.
- [11] T. Range, “to-Digital Converter (0 ° C to + 1024 ° C) MAX6675 Cold-Junction-Compensated K-Thermocouple- to-Digital Converter (0 ° C to +

1024 ° C) Absolute Maximum Ratings.”

- [12] A. Zainuri, U. Wibawa, and E. Maulana, “Implementasi Bluetooth HC – 05 untuk Memperbarui Informasi Pada Perangkat Running Text Berbasis Android,” *Eeccis*, vol. 9, no. 2, pp. 164–165, 2015.

.