

DAFTAR PUSTAKA

- [1] who, *HOW TO MONITOR TEMPERATURES*. 2015.
- [2] C. Roncancio R, Ginna & Sáenz G, “No Title肯定・否定表現における日本語程度副詞について,” *IOSR J. Econ. Financ.*, vol. 3, no. 1, p. 56, 2016, doi: <https://doi.org/10.3929/ethz-b-000238666>.
- [3] Worl Health Organization, *Cold room temperature mapping studies*. 2015.
- [4] A. Ashok, M. Brison, and Y. LeTallec, “Improving cold chain systems: Challenges and solutions,” *Vaccine*, vol. 35, no. 17, pp. 2217–2223, 2017, doi: [10.1016/j.vaccine.2016.08.045](https://doi.org/10.1016/j.vaccine.2016.08.045).
- [5] B. G. Zheng, “Research and implementation of temperature control system based on single chip microcomputer,” *ACM Int. Conf. Proceeding Ser.*, pp. 47–52, 2018, doi: [10.1145/3293688.3293699](https://doi.org/10.1145/3293688.3293699).
- [6] ISPE, *Cold Chain Management*. 2011.
- [7] A. Tsanousa *et al.*, “Localization module for missing child scenario in IoT safety domains,” *Dig. Tech. Pap. - IEEE Int. Conf. Consum. Electron.*, vol. 2021-Janua, 2021, doi:

10.1109/ICCE50685.2021.9427769.

- [8] T. Lu and Z. Liu, “Temperature Control System of Cold Storage,” no. Icectt, pp. 1–6, 2015, doi: 10.2991/icectt-15.2015.1.
- [9] W. Adhiwibowo, A. F. Daru, and A. M. Hirzan, “Temperature and Humidity Monitoring Using DHT22 Sensor and Cayenne API,” *J. Transform.*, vol. 17, no. 2, p. 209, 2020, doi: 10.26623/transformatika.v17i2.1820.
- [10] R. Chaudhri, G. Borriello, and R. Anderson, “Monitoring vaccine cold chains in developing countries,” *IEEE Pervasive Comput.*, vol. 11, no. 3, pp. 26–33, 2012, doi: 10.1109/MPRV.2012.20.
- [11] WHO *et al.*, “Temperature Mapping Study on Cold Room,” *Saudi Pharm. J.*, vol. 25, no. 2, p. 7, 2017, [Online]. Available: <http://dx.doi.org/10.1016/j.jsps.2016.07.001> http://apps.who.int/iris/bitstream/10665/183583/1/WHO_IVB_15.04_eng.pdf
- [12] S. Bharath, “Smart Portable IOT Vaccine Monitor,” vol. 0869, no. 3, pp. 116–118, 2016.
- [13] A. Mohsin and S. S. Yellampalli, “IoT based cold

chain logistics monitoring,” *IEEE Int. Conf. Power, Control. Signals Instrum. Eng. ICPCSI 2017*, pp. 1971–1974, 2018, doi: 10.1109/ICPCSI.2017.8392059.

- [14] A. Z. Standard, “Remote temperature monitoring,” *Eastern-European J. Enterp. Technol.*, vol. 6, no. Iccmc, pp. 7–9, 2011.
- [15] K. Sima, T. Syrový, S. Pretl, J. Freisleben, D. Cesek, and A. Hamacek, “Flexible smart tag for cold chain temperature monitoring,” *Proc. Int. Spring Semin. Electron. Technol.*, pp. 1–5, 2017, doi: 10.1109/ISSE.2017.8000996.
- [16] U. Kartoglu, J. Vesper, H. Teräs, and T. Reeves, “Experiential and authentic learning approaches in vaccine management,” *Vaccine*, vol. 35, no. 17, pp. 2243–2251, 2017, doi: 10.1016/j.vaccine.2016.11.104.
- [17] J.-P. Rodrigue and T. Notteboom, “The Cold Chain and its Logistics,” *Geogr. Transp. Syst.*, p. 440, 2017.
- [18] T. Bengiovanni *et al.*, “Risk Management and Healthcare: IoT Technologies and Smart Monitoring System for a Good Cold Chain

- Management,” *2020 5th Int. Conf. Smart Sustain. Technol. Split.* 2020, 2020, doi: 10.23919/SpliTech49282.2020.9243821.
- [19] R. T. Hasanat, M. D. Arifur Rahman, N. Mansoor, N. Mohammed, M. S. Rahman, and M. Rasheduzzaman, “An IoT based Real-time Data-Centric Monitoring,” *2020 IEEE East-West Des. Test Symp. EWDTs 2020 - Proc.*, 2020, doi: 10.1109/EWDTs50664.2020.9225047.
- [20] S. Yauba *et al.*, “Temperature Monitoring in the Vaccine Cold Chain in Cameroon,” *J. Vaccines Vaccin.*, vol. 09, no. 01, 2017, doi: 10.4172/2157-7560.1000384.
- [21] D. Semiconductor, “DS18B20 Programmable Resolution 1-Wire Digital Thermometer,” *Datasheet*, pp. 1–27, 2008.
- [22] R. T. Hasanat, N. Mansoor, N. Mohammed, M. S. Rahman, and M. Rasheduzzaman, “Development of a monitoring system and power management for an IoT based vaccine carrier,” *J. Phys. Conf. Ser.*, vol. 1755, no. 1, pp. 1–11, 2021, doi: 10.1088/1742-6596/1755/1/012023.

- [23] R. Anderson *et al.*, “Supporting immunization programs with improved vaccine cold chain information systems,” *Proc. 4th IEEE Glob. Humanit. Technol. Conf. GHTC 2014*, pp. 215–222, 2014, doi: 10.1109/GHTC.2014.6970284.
- [24] A. AKBAR, “Pengontrol Suhu Air Menggunakan Sensor Ds18B20 Berbasis Arduino Uno,” *Pengontrol Suhu Air Menggunakan Sens. Ds18B20 Berbas. Arduino Uno*, pp. 4–16, 2017.
- [25] J. Prinyakupt and K. Roongprasert, “Verification Device for Temperature and Relative Humidity Inside the Infant Incubator via IoT,” *BMEiCON 2019 - 12th Biomed. Eng. Int. Conf.*, pp. 1–6, 2019, doi: 10.1109/BMEiCON47515.2019.8990351.
- [26] A. Prafanto, E. Budiman, P. P. Widagdo, G. M. Putra, and R. Wardhana, “Pendeteksi Kehadiran menggunakan ESP32 untuk Sistem Pengunci Pintu Otomatis,” *JTT (Jurnal Teknol. Ter.*, vol. 7, no. 1, p. 37, 2021, doi: 10.31884/jtt.v7i1.318.
- [27] ESP, “ESP32 Series Datasheet,” *Espr. Syst.*, pp. 1–65, 2021.