

## DAFTAR PUSTAKA

- [1] F. Maulana, H. B. Adwika, I. A. Gumelar, and S. Fauzia, “Rancang bangun exoskeleton sebagai rangka peningkat tenaga kekuatan lengan manusia terpadu,” pp. 327–332, 2013.
- [2] I. Setyopranoto *et al.*, “Prevalence of stroke and associated risk factors in sleman district of Yogyakarta Special Region, Indonesia,” *Stroke Res. Treat.*, vol. 2019, 2019, doi: 10.1155/2019/2642458.
- [3] R. D. Setiani, “EFEKTIVITAS MIRROR THERAPY TERHADAP PENINGKATAN MOTOR FUNCTION UPPER LIMB PADA PENDERITA STROKE : NARRATIVE REVIEW,” 2021.
- [4] P. Zhang *et al.*, “Research on trajectory tracking control of lower extremity exoskeleton robot,” *2019 4th IEEE Int. Conf. Adv. Robot. Mechatronics, ICARM 2019*, pp. 481–485, 2019,

doi: 10.1109/ICARM.2019.8833777.

- [5] S. Mefoued and D. E. C. Belkhiat, “A Robust Control Scheme Based on Sliding Mode Observer to Drive a Knee-Exoskeleton,” *Asian J. Control*, vol. 21, no. 1, pp. 439–455, 2019, doi: 10.1002/asjc.1950.
  
- [6] S. Muthiah, H. Hendrik, and S. Suharto, “Penatalaksanaan Fisioterapi Pada Gangguan Fungsional Berjalan Akibat Fraktur 1/3 Distal Cruris Dextra Post Pemasangan Plate and Screw Di Rsup Dr.Wahidin Sudirohusodo Makassar 2013,” *Media Fisioter. Politek. Kesehat. Makassar*, vol. 11, no. 1, p. 20, 2019, doi: 10.32382/mf.v11i1.821.
  
- [7] S. M. Huang, P. Y. Gi, and P. Y. Wu, “A design of wearable goniometers for measuring carpal angular movement,” *Proc. 2018 IEEE Int. Conf. Adv. Manuf. ICAM 2018*, pp. 1–4, 2019, doi: 10.1109/AMCON.2018.8615058.
  
- [8] H. Lestari, D. N. Izzhati, N. Rachmat, D.

- Setyawan, E. Saputra, and R. Ismail, “Pengukuran Jangkauan Gerak pada Lutut Orang Indonesia sebagai Data Awal Perancangan Kaki Tiruan Atas Lutut,” pp. 64–69, 2012, [Online]. Available: [http://www.unwahas.ac.id/publikasiilmiah/index.php/PROSIDING\\_SNST\\_FT/article/viewFile/1142/1248](http://www.unwahas.ac.id/publikasiilmiah/index.php/PROSIDING_SNST_FT/article/viewFile/1142/1248).
- [9] T. PERKASA and H. H. RACHMAT, “Perancangan Alat Ukur Sudut Tekuk Lutut Wireless menggunakan Sensor Gyroscope berbasis ATMega 328 dan ATMega 2560,” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 5, no. 1, p. 30, 2018, doi: 10.26760/elkomika.v5i1.30.
- [10] M. DR. A.A Anwar Prabu Mangkunegara, “Evaluasi Kinerja SDM,” *Refika Aditama*, vol. 01, no. May, pp. 42–47, 2005.
- [11] A. Prafanto, E. Budiman, P. P. Widagdo, G. M. Putra, and R. Wardhana, “Pendeteksi Kehadiran menggunakan ESP32 untuk Sistem Pengunci Pintu Otomatis,” *JTT (Jurnal Teknol. Ter.*, vol. 7, no. 1,

p. 37, 2021, doi: 10.31884/jtt.v7i1.318.

- [12] T. Aghil, S. Rahul, S. Buwan Kumar, Y. Vijay, S. Tharun Kumar, and B. Sidhharth, “A Futuristic Approach for Stroke Rehabilitation Using Smart Gloves,” *J. Phys. Conf. Ser.*, vol. 2115, no. 1, pp. 0–10, 2021, doi: 10.1088/1742-6596/2115/1/012025.
- [13] Triwiyanto, I. P. A. Pawana, B. G. Irianto, T. B. Indrato, and I. D. G. H. Wisana, “Embedded system for upper-limb exoskeleton based on electromyography control,” *Telkomnika (Telecommunication Comput. Electron. Control.*, vol. 17, no. 6, pp. 2992–3002, 2019, doi: 10.12928/TELKOMNIKA.v17i6.11670.
- [14] J. Rosen, D. Milutinović, L. M. Miller, M. Simkins, H. Kim, and Z. Li, *Unilateral and Bilateral Rehabilitation of the Upper Limb Following Stroke via an Exoskeleton*. 2014.
- [15] L. D. L. da Silva, T. F. Pereira, V. R. Q. Leithardt, L. O. Seman, and C. A. Zeferino, “Hybrid

- impedance-admittance control for upper limb exoskeleton using electromyography,” *Appl. Sci.*, vol. 10, no. 20, pp. 1–19, 2020, doi: 10.3390/app10207146.
- [16] A. M. Khan, F. Khan, and C. Han, “Estimation of desired motion intention using extreme learning machine for upper limb assist exoskeleton,” *IEEE/ASME Int. Conf. Adv. Intell. Mechatronics, AIM*, vol. 2016-Sept, pp. 919–923, 2016, doi: 10.1109/AIM.2016.7576886.
- [17] M. Intisar, M. M. Khan, M. Masud, and M. Shorfuzzaman, “Development of a low-cost exoskeleton for rehabilitation and mobility,” *Intell. Autom. Soft Comput.*, vol. 31, no. 1, pp. 101–115, 2022, doi: 10.32604/IASC.2022.019083.
- [18] T. Ashuri, G. Van Bussel, and S. Mieras, “Development and validation of a computational model,” *Library (Lond)*, no. March 2012, pp. 77–90, 2013.
- [19] D. Copaci, E. Cano, Luis Moreno, and D. Blanco,

“New Design of a Soft Robotics Wearable Elbow Exoskeleton Based on Shape Memory Alloy Wire Actuators,” *Appl. Bionics Biomech.*, vol. 2017, 2017.

- [20] B. D. Putra, R. Munadi, H. Walidainy, E. D. Meutia, and M. Irhamsyah, “Evaluasi Jaringan LTE pada Kawasan Blank Spot Menggunakan Model Propagasi COST-231,” vol. 8, no. 1, pp. 134–143, 2019.
- [21] “DataLogging with ESP32 Module | PhysicsOpenLab.”  
<https://physicsopenlab.org/2020/05/10/datalogging-with-esp32-module/> (accessed Jan. 18, 2023).
- [22] A. Ahfas, M. B. Ulum, D. H. R. Saputra, and S. Syahririni, “Automatic Spray Desinfectant Chicken with Android Based on Arduino Uno,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 519, no. 1, 2020, doi: 10.1088/1755-1315/519/1/012013.
- [23] “Blocks Editor - Learning MIT App Inventor: A Hands-On Guide to Building Your Own Android

Apps [Book].”

[https://www.oreilly.com/library/view/learning-](https://www.oreilly.com/library/view/learning-mit-app/9780133799286/ch02lev2sec3.html)

[mit-app/9780133799286/ch02lev2sec3.html](https://www.oreilly.com/library/view/learning-mit-app/9780133799286/ch02lev2sec3.html)

(accessed Jan. 19, 2023).

- [24] A. Irsyad, Isnawaty, and R. A. Saputra, “Implementasi Sistem Navigasi Dengan Metode Proportional Integral Derivative (Pid) Pada Robot Wall Follower,” *semanTIK*, vol. 3, no. 2, pp. 9–12, 2017.
- [25] M. Risal, “Sistem Kontrol Sirkulasi Air Dan Pemberian Pakan Pada Akuarium Ikan Hias,” *J. IT*, vol. 8, no. 2, pp. 126–135, 2017.