

DAFTAR PUSTAKA

- [1] M. Coban and M. Fidan, "Fuzzy Logic Based Temperature Control," *3rd Int. Symp. Multidiscip. Stud. Innov. Technol. ISMSIT 2019 - Proc.*, pp. 1–4, 2019, doi: 10.1109/ISMSIT.2019.8932906.
- [2] B. Dai, R. Chen, and R. C. Chen, "Temperature control with fuzzy neural network," *Proc. - 2017 IEEE 8th Int. Conf. Aware. Sci. Technol. iCAST 2017*, vol. 2018-Janua, no. iCAST, pp. 452–455, 2017, doi: 10.1109/ICAwST.2017.8256499.
- [3] N. Elqeblawy, A. Mohammed, and H. A. Hefny, "a Proposedfuzzy Logic Approach for Conserving the Energy of Data Transmission in the Temperature Monitoring Systems of the Internet of Things," *Int. J. Comput. Networks Commun.*, vol. 14, no. 2, pp. 97–114, 2022, doi: 10.5121/ijcnc.2022.14206.
- [4] N. Kittiamornkul and K. Higuchi, "A DEVELOPMENT OF PORTABLE FLUID WARMER FOR SURGICAL," vol. 11, no. 2, pp. 16–20, 2018.
- [5] F. C. S. Arisgraha, B. Trisnawan, and Supadi, "Optimizing the utilization of heat energy in blood transfusion warmer using closed system method," *AIP Conf. Proc.*, vol. 2314, no. December, 2020, doi: 10.1063/5.0034908.
- [6] S. P, S. D.N, and P. B, "Temperature Control using Fuzzy Logic," *Int. J. Instrum. Control Syst.*, vol. 4, no. 1, pp. 1–10, 2014, doi: 10.5121/ijics.2014.4101.
- [7] F. H. Purwanto, E. Utami, and E. Pramono, "Implementation and Optimization of Server Room

- Temperature and Humidity Control System using Fuzzy Logic Based on Microcontroller,” *J. Phys. Conf. Ser.*, vol. 1140, no. 1, pp. 390–395, 2018, doi: 10.1088/1742-6596/1140/1/012050.
- [8] Y. Ghadi, E. Radwan, and K. S. Al-olimat, “Functions of fuzzy logic based controllers used in smart building Functions of fuzzy logic based controllers used in smart building,” no. June, pp. 3061–3071, 2022, doi: 10.11591/ijece.v12i3.pp3061-3071.
- [9] “FUZZY LOGIC-BASED TEMPERATURE AND HUMIDITY MEASUREMENT FOR FOR PHARMACY WAREHOUSES.”
- [10] A. Vulpe, C. Lupu, and C. Mihai, “Research on infrared body temperature measurement - Virus spreading prevention,” *Proc. 12th Int. Conf. Electron. Comput. Artif. Intell. ECAI 2020*, no. February 2021, 2020, doi: 10.1109/ECAI50035.2020.9223195.
- [11] Yudistira Marsya Puvindra, Arief Marwanto, Eka Nuryanto Budisusila, and V. Abdullayev, “Enhancement Drip Dose Infusion Accuracy Based on Optocoupler and Microcontroller Sensor,” *Int. J. Adv. Heal. Sci. Technol.*, vol. 2, no. 4, pp. 267–273, 2022, doi: 10.35882/ijahst.v2i4.135.
- [12] A. N. Fathoni, N. Hudallah, R. D. M. Putri, K. Khotimah, T. Rijanto, and M. Ma’Arif, “Design Automatic Dispenser for Blind People based on Arduino Mega using DS18B20 Temperature Sensor,” *Proceeding - 2020 3rd Int. Conf. Vocat. Educ. Electr. Eng. Strength. Framew. Soc. 5.0*

through Innov. Educ. Electr. Eng. Informatics Eng. ICVEE 2020, 2020, doi: 10.1109/ICVEE50212.2020.9243254.

- [13] T. Hariono, A. Mahdalena, and H. Ashoumi, “Automatic Water Temperature Control System In Hydroponic Plants With Peltier Tec1 12706 And Temperature Sensors,” pp. 438–445, 2021.
- [14] N. H. Wijaya, A. G. Alvian, A. Z. Arfianto, J. E. Poetro, and F. Waseel, “Data storage based heart and body temperature measurement device,” *J. Robot. Control*, vol. 1, no. 1, pp. 11–14, 2020, doi: 10.18196/jrc.1103.
- [15] J. S. E. Chaglla, N. Celik, and W. Balachandran, “Measurement of core body temperature using graphene-inked infrared thermopile sensor,” *Sensors (Switzerland)*, vol. 18, no. 10, pp. 1–8, 2018, doi: 10.3390/s18103315.
- [16] S. S. Nair, V. Sreedevi, and D. S. Nagesh, “Warming of blood and intravenous fluids using low-power infra-red light-emitting diodes,” *J. Med. Eng. Technol.*, vol. 45, no. 8, pp. 614–626, 2021, doi: 10.1080/03091902.2021.1936675.
- [17] M. Udin Harun Al Rasyid, S. Sukaridhoto, A. Sudarsono, A. N. Kaffah, and M. Udin Harun Al Rasyid, “Design and Implementation of Hypothermia Symptoms Early Detection with Smart Jacket Based on Wireless Body Area Network,” *IEEE Access*, vol. 8, pp. 155260–155274, 2020, doi: 10.1109/ACCESS.2020.3018793.
- [18] A. K. Duttaroy, “Role of gut microbiota and their

- metabolites on atherosclerosis, hypertension and human blood platelet function: A review,” *Nutrients*, vol. 13, no. 1, pp. 1–17, 2021, doi: 10.3390/nu13010144.
- [19] M. P. O. Pires, M. A. S. Peterlini, A. J. Ullman, A. C. Bulmer, C. M. Rickard, and M. L. G. Pedreira, “Effect of warming and infusion of red blood cell concentrates on markers of haemolysis: An ex vivo simulation study,” *Aust. Crit. Care*, vol. 34, no. 3, pp. 235–240, 2021, doi: 10.1016/j.aucc.2020.08.003.
- [20] P. S. Mahardika and A. A. N. Gunawan, “Modeling of water temperature in evaporation pot with 7 Ds18b20 sensors based on Atmega328 microcontroller,” *Linguist. Cult. Rev.*, vol. 6, pp. 184–193, 2022, doi: 10.21744/lingcure.v6ns3.2123.
- [21] Y. T. Kwak, J. Yang, and Y. You, “Conversion of Body Temperature from Skin Temperature using Neural Network for Smart Band,” *2019 7th Int. Conf. Robot Intell. Technol. Appl. RiTA 2019*, pp. 67–71, 2019, doi: 10.1109/RITAPP.2019.8932736.
- [22] N. H. Wijaya, Z. Oktavihandani, K. Kunal, E. T. Helmy, and P. T. Nguyen, “Tympani thermometer design using passive infrared sensor,” *J. Robot. Control*, vol. 1, no. 1, pp. 27–30, 2020, doi: 10.18196/jrc.1106.
- [23] Y. Hendrawan, D. K. Anta, A. M. Ahmad, and S. Malin, “Development of Fuzzy Control Systems in Portable Cultivation Chambers to Improve the Quality of Oyster Mushrooms Development of

Fuzzy Control Systems in Portable Cultivation Chambers to Improve the Quality of Oyster Mushrooms,” doi: 10.1088/1757-899X/546/3/032013.

- [24] J. C. Mugisha, B. Munyazikwiye, and H. R. Karimi, “Design of temperature control system using conventional PID and Intelligent Fuzzy Logic controller,” *iFUZZY 2015 - 2015 Int. Conf. Fuzzy Theory Its Appl. Conf. Dig.*, pp. 50–55, 2016, doi: 10.1109/iFUZZY.2015.7391893.