

## **DAFTAR PUSTAKA**

- [1] M. Manani, P. Jegatheesan, G. DeSandre, D. Song, L. Showalter, and B. Govindaswami, “Elimination of admission hypothermia in preterm very low-birth-weight infants by standardization of delivery room management,” *Perm. J.*, vol. 17, no. 3, pp. 8–13, 2013, doi: 10.7812/TPP/12-130.
- [2] E. M. McCall, F. Alderdice, H. L. Halliday, S. Vohra, and L. Johnston, “Interventions to prevent hypothermia at birth in preterm and/or low birth weight infants,” *Cochrane Database Syst. Rev.*, vol. 2018, no. 2, 2018, doi: 10.1002/14651858.CD004210.pub5.
- [3] R. Delacrétaz, C. J. F. Fumeaux, C. Stadelmann, A. Rodriguez Trejo, A. Destaillats, and E. Giannoni, “Intra-hospital transport of newborn infants dataset,” *Data Br.*, vol. 39, 2021, doi: 10.1016/j.dib.2021.107510.
- [4] M. Ali, M. Abdelwahab, and S. Awadekreim, “Fuzzy Logic Control in Air Temperature and Skin Temperature in the Infant Incubator,” vol. 23, no. 01, pp. 10–13, 2020.
- [5] I. Adam, H. F. Rozi, S. Khan, Z. Zaharuddin, K. A. Kadir, and A. N. Nurdin, “The development of the fuzzy-based infant incubator,” *AIP Conf. Proc.*, vol. 2129, no. July, 2019, doi: 10.1063/1.5118109.

- [6] Y. A. K. Utama, “Design of PID Disturbance Observer with Neuro Fuzzy Inverse Model for Precise Temperature Control in Infant Incubator,” in *Proceeding - 1st International Conference on Information Technology, Advanced Mechanical and Electrical Engineering, ICITAMEE 2020*, Oct. 2020, pp. 179–184. doi: 10.1109/ICITAMEE50454.2020.9398509.
- [7] S. B. Utomo, J. F. Irawan, A. Mujibtamala, M. I. Nari, and R. Amalia, “Automatic baby incubator system with fuzzy-PID controller,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1034, no. 1, p. 012023, 2021, doi: 10.1088/1757-899x/1034/1/012023.
- [8] M. Munadi, R. A. Pandu, R. Wiradinata, H. P. Julianti, and R. Setiawan, “Model and prototype of mobile incubator using PID controller based on Arduino Uno,” *J. Teknol. dan Sist. Komput.*, vol. 8, no. 1, pp. 69–77, 2020, doi: 10.14710/jtsiskom.8.1.2020.69-77.
- [9] M. Shaib, M. Rashid, L. Hamawy, M. Arnout, I. El Majzoub, and A. J. Zaylaa, “Advanced portable preterm baby incubator,” *Int. Conf. Adv. Biomed. Eng. ICABME*, vol. 2017-Octob, pp. 1–4, 2017, doi: 10.1109/ICABME.2017.8167522.
- [10] R. Rakhmawati, Irianto, F. D. Murdianto, A. Luthfi, and A. Y. Rahman, “Thermal optimization on incubator using fuzzy inference system based IoT,” *Proceeding - 2019 Int. Conf. Artif. Intell. Inf. Technol. ICAIIT 2019*, pp. 464–468, 2019, doi: 10.1109/ICAIIT.2019.8834530.

- [11] K. Anggara, F. Hadi, and J. Haidi, “Pengembangan Sistem Monitoring Inkubator Bayi Prematur Secara Real Time Menggunakan Android”.
- [12] D. Rudiyanto, N. Someyasa, and H. Gumiwang, “Prototype Baby Incubator Transport Dilengkapi dengan Sensor Suhu, Skin dan Kelembaban,” 2018.
- [13] B. Panjaitan, S. Harahap, and S. Romadhon, “RANCANG BANGUN KONTROL KELEMBABAN PADA ALAT BABY INCUBATOR BERBASIS MIKROKONTROLLER ATMEGA 328 Oleh: Kesya Nirma Lumbantobing Sekolah Tinggi Ilmu Kesehatan Binalita Sudama ABSTRAK Kelembaban merupakan objek pengukuran yang terdapat dalam sistem akuisisi ,” vol. 29, no. 1, pp. 155–160.
- [14] S. P, S. D.N, and P. B, “Temperature Control using Fuzzy Logic,” *Int. J. Instrum. Control Syst.*, vol. 4, no. 1, pp. 1–10, 2014, doi: 10.5121/ijics.2014.4101.
- [15] Sudrajat, “Dasar-Dasar Fuzzy Logic,” *Jur. Mat. Fak. Mat. Dan Ilmu Pengetah. Alam Univ. Padjadjaran Bandung*, vol. 1, no. 1, pp. 1–63, 2008, [Online]. Available: [https://pustaka.unpad.ac.id/wp-content/uploads/2010/07/dasar\\_dasar\\_fuzzy\\_logic.pdf](https://pustaka.unpad.ac.id/wp-content/uploads/2010/07/dasar_dasar_fuzzy_logic.pdf)

- [16] F. Fatiyatun, A. D. Pratiwi, A. C. Wirdati, and N. Avifatun, “Penerapan Termodinamika Heating Dan Colling Pada Dispenser,” *J. Penelit. dan Pengabdi. Kpd. Masy. UNSIQ*, vol. 9, no. 2, pp. 146–150, 2022, doi: 10.32699/ppkm.v9i2.2658.
- [17] L. Lonteng, E. K. Allo, and L. S. Patras, “Analisa Kemampuan Sumber DC (Baterai dan Charge) dalam Memenuhi Kebutuhan Gardu Induk Teling,” *Anal. Kemamp. Sumber DC (Baterai dan Charg. dalam Memenuhi Kebutuhan Gardu Induk Teling*, no. Dc, pp. 1–8, 2022.
- [18] A. D. KURNIANTO, “Sistem Pemantauan Dan Pengendalian Arus Listrik Berbasis Mikrokontroler Pada Rumah Daya Rendah 450 Va,” *J. Chem. Inf. Model.*, vol. 53, no. 9, pp. 1689–1699, 2018.
- [19] J. Arifin, I. E. Dewanti, and D. Kurnianto, “Prototipe Pendingin Perangkat Telekomunikasi Sumber Arus DC menggunakan Smartphone,” *Media Elektr.*, vol. 10, no. 1, pp. 13–29, 2017.
- [20] M. B. R. Huda and W. D. Kurniawan, “ANALISA SISTEM PENGENDALIAN TEMPERATUR MENGGUNAKAN SENSOR DS18B20 BERBASIS MIKROKONTROLER ARDUINO Muhammad Bagus Roudlotul Huda Wahyu Dwi Kurniawan Abstrak,” *J. Tek. Mesin*, vol. 07, pp. 18–23, 2022.
- [21] A. Supriyadi, A. Setyawan, and dan Jatmiko Endro Suseno, “Rancang Bangun Sistem Kendali

Unit Pengolahan Air Bersih Berbasis Arduino Uno R3 Dan Nextion Nx4827T043\_011R,” *Berk. Fis.*, vol. 22, no. 2, pp. 42–55, 2019.

- [22] D. Aryani, I. J. Dewanto, and A. Alfiantoro, “Prototype Alat Pengantar Makanan Berbasis Arduino Mega,” *Petir*, vol. 12, no. 2, pp. 242–250, 2019, doi: 10.33322/petir.v12i2.540.