

DAFTAR PUSTAKA

- [1] N. El-Guebaly, “COVID-19 and social distancing,” *Can. J. Addict.*, vol. 11, no. 2, pp. 4–6, 2020, doi: 10.1097/CXA.0000000000000081.
- [2] V. Vujović and M. Maksimović, “Raspberry Pi as a Wireless Sensor node: Performances and constraints,” *2014 37th Int. Conv. Inf. Commun. Technol. Electron. Microelectron. MIPRO 2014 - Proc.*, no. May, pp. 1013–1018, 2014, doi: 10.1109/MIPRO.2014.6859717.
- [3] I. Sokolova, “Temperature regulation,” *Encycl. Ecol.*, vol. 1968, no. 47, pp. 633–639, 2018, doi: 10.1016/B978-0-12-409548-9.11129-7.
- [4] J. Curva, M. Lourenco, N. Paulino, J. P. Oliveira, L. Oliveira, and H. Oliveira, “Infrared fire alarm for vehicle protection,” *Proc. - 2020 Int. Young Eng. Forum, YEF-ECE 2020*, pp. 19–24, 2020,

doi: 10.1109/YEF-ECE49388.2020.9171813.

- [5] A. B. Haripriya, K. A. Sunitha, and B. Mahima, “ScienceDirect Development of Low-cost Thermal Imaging System as a Preliminary Screening Instrument,” *Procedia Comput. Sci.*, vol. 172, no. 2019, pp. 283–288, 2020, doi: 10.1016/j.procs.2020.05.045.
- [6] C. H. Å, H. Zhang, E. Arens, and D. Wang, “Skin and core temperature response to partial- and whole-body heating and cooling,” vol. 29, pp. 549–558, 2004, doi: 10.1016/j.jtherbio.2004.08.024.
- [7] S. C. Sherwood, S. Bony, and J. L. Dufresne, “Spread in model climate sensitivity traced to atmospheric convective mixing,” *Nature*, vol. 505, no. 7481, pp. 37–42, 2014, doi: 10.1038/nature12829.

- [8] M. F. W. A. Wahyu, “Sistem Pengukuran Suhu Tubuh Menggunakan Camera Thermal Amg 8833 Untuk Mengidentifikasi Orang Sakit,” Universitas Dinamika, 2020.
- [9] R. R. Suryadi, I. Wijayanto, A. Rusdinar, F. T. Elektro, and C. Detection, “Perancangan Dan Implementasi Sistem Pendeteksi Api Pada Robot Pemadam Api Dengan Menggunakan Sensor Api Dan Design And Implementation System Fire Detection On Fire,” vol. 4, no. 3, pp. 3611–3624, 2017.
- [10] Supria and M. Nasir, “Monitoring of body temperature non contact using amg8833 thermal camera and face detection,” *Semin. Nas. Terap. Ris. Inov. ke-6*, vol. 6, no. 1, pp. 396–403, 2020.
- [11] W. K. Wong, P. N. Tan, C. K. Loo, and W. S. Lim, “An Effective Surveillance System Using

- Thermal Camera,” pp. 13–17, 2009, doi:
10.1109/ICSAP.2009.12.
- [12] E. Sarajevo, “Raspberry Pi as a Wireless Sensor Node : Performances and Constraints,” no. May, pp. 26–30, 2014.
- [13] M. A. Muda, “Thermal Vision pada Manusia dengan Pengaruh Terhadap Warna Pakaian.”
- [14] A. N. Iman, A. G. Putrada, S. Prabowo, and D. Perdana, “Peningkatan Kinerja AMG8833 sebagai Thermocam dengan Metode Regresi AdaBoost untuk Pelaksanaan Protokol COVID-19 Performance Improvement of AMG8833 as Thermocam with AdaBoost Regression Method for COVID-19 Protocol Enforcement,” vol. 8, no. 1, pp. 978–985, 2021.