

DAFTAR PUSTAKA

- [1] R. Asmara, “Rancang Bangun Sistem Perekaman Sinyal EMG untuk Monitoring Perkembangan Pasien Pasca Stroke,” *Rev. Bras. Ergon.*, vol. 3, no. 2, pp. 80–91, 2016, [Online]. Available: <https://www.infodesign.org.br/infodesign/article/view/355%0A>.
- [2] O. S. Anita Shinta Kusuma, “Penerapan Prosedur Latihan Range of Motion (Rom) Pasif Sedingin Mungkin Pada Pasien Stroke Non Hemoragik (Snh),” *Syntax Lit.*, vol. 5, no. 10, pp. 1015–1021, 2020, [Online]. Available: <https://www.jurnal.syntaxliterate.co.id/index.php/syntax-literate/article/view/1706/1614>.
- [3] R. Setiawan, S. Sabar, and M. Madi, “Design of An Active Power Ankle-Foot Orthosis with Myoelectric Control for Drop-Foot Rehabilitation,” *Int. J. Electr. Energy Power Syst. Eng.*, vol. 4, no. 2, pp. 139–144, 2021, doi: 10.31258/ijeepse.4.2.139-144.
- [4] A. E. K. Sari, J. Purwono, and Ludiana, “Penerapan Range of Motion (Rom) Pasif Untuk Meningkatkan

Kekuatan Otot Pasien Pasca Stroke Di Wilayah Kerja Puskesmas Purwosari Kec . Metro Utara
Application of the Passive Range of Motion (Rom) To Improve Muscular Strength of Patients After Stroke in,” *J. Cendekia Muda*, vol. 1, no. 2, pp. 209–215, 2021.

- [5] D. Yuliansyah, “Deteksi Kelelahan Otot Menggunakan Sinyal Emg Dan Detektor Gaya Pada Gerak Dasar Ekstensi Dan Fleksi Knee-Joint Untuk Evaluasi Penggunaan Functional Electrical Stimulation Pada Sistem Rehabilitasi Lower Limb,” *Sepuluh Nop. Inst. Technol.*, p. 171, 2017.
- [6] J. T. Mesin, F. T. Industri, and U. I. Indonesia, “PERANCANGAN SISTEM KENDALI ALAT BANTU Pernyataan keaslian,” 2021.
- [7] D. Shi, W. Zhang, W. Zhang, and X. Ding, “A Review on Lower Limb Rehabilitation Exoskeleton Robots,” *Chinese J. Mech. Eng.*, 2019, doi: 10.1186/s10033-019-0389-8.
- [8] F. Setiono, F. Rofii, and S. Setiawidayat, “Rancang Bangun Alat Terapi Lengan Continous Passive Motion (CPM) dengan Control Electromyograph

- (EMG) Untuk Pasien Pasca Operasi dan Stroke,” *Teknik*, vol. 40, no. 3, p. 176, 2019, doi: 10.14710/teknik.v40i3.25119.
- [9] Francisco, A. R. L. (2013). *Journal of Chemical Information and Modeling*, 53(9), “Anatomi dan Fisiologi Otot Rangka,” *J. Chem. Inf. Model.*, vol. 53, no. 9, pp. 1689–1699, 2013.
- [10] W. Kamelia¹, “PENGARUH LATIHAN ROM (RANGE OF MOTION) TERHADAP KEKUATAN OTOT PADA PASIEN POST STROKE The Effect Of Rom (Range Of Motion) Exercise On Muscle Strength In Post Stroke Patients yang bersifat fungsional , sedangkan pada pasien pasca stroke akan mengalami,” vol. 2, no. 2, pp. 109–114, 2021.
- [11] B. Firman, “Implementasi Sensor Imu Mpu6050 Berbasis Serial I2C Pada Self-Balancing Robot,” *J. Teknol. Technoscintia*, vol. 9, no. 1, pp. 18–24, 2016.
- [12] E. Greenbaum, “The photosynthetic unit of hydrogen evolution,” *Science (80-.)*, vol. 196, no. 4292, pp. 879–880, 1977, doi:

10.1126/science.196.4292.879.

- [13] Y. Triawan and J. Sardi, “Perancangan Sistem Otomatisasi Pada Aquascape Berbasis Mikrokontroller Arduino Nano,” *JTEIN J. Tek. Elektro Indones.*, vol. 1, no. 2, pp. 76–83, 2020, doi: 10.24036/jtein.v1i2.30.
- [14] N. Ashriyah, T. A. Sardjono, and M. Nuh, “Pengembangan Instrumentasi dan Analisis Sinyal EMG pada Otot Leher,” *J. Tek. ITS*, vol. 9, no. 1, pp. 916, 2020, doi: 10.12962/j23373539.v9i1.44787.
- [15] Agus Wibowo and Lawrence Adi Supriyono, “Analisis Pemakaian Sensor Loadcell Dalam Perhitungan Berat Benda Padat Dan Cair Berbasis Microcontroller,” *Elkom J. Elektron. dan Komput.*, vol. 12, no. 1, pp. 1–5, 2019, doi: 10.51903/elkom.v12i1.102.
- [16] C. M. Rismawanti, W. Natalya, and I. Isytiaroh, “Penerapan Latihan Range Of Motion (ROM) aktif pada pasien pasca stroke di Desa Sampangan Pekalongan,” *Pros. Semin. Nas. Kesehat.*, vol. 1, pp. 1350–1354, 2021, doi:

10.48144/prosiding.v1i.834.

- [17] I. Jahra Alhamid, N. Norma, and O. Lopulalan, “ANALISIS FAKTOR RISIKO TERHADAP KEJADIAN STROKE,” *Nurs. Arts*, vol. 12, no. 2, pp. 100–109, Dec. 2018, doi: 10.36741/jna.v12i2.82.
- [18] H. P. Kuntono, “Penatalaksanaan Fisioterapi Pada Kondisi Osteoarthritis,” *Temu Ilmiah IFI, Kediri*, 2005.
- [19] C. V. Oramas, D. D. Keluarga, and C. V. Oramas, “RANCANG BANGUN SISTEM PEREKAMAN SINYAL EMG UNTUK MONITORING PERKEMBANGAN PASIEN PASCA STROKE,” no. Bagian I, p. 2016, 2016.
- [20] U. Sarah, S. Bambang, and K. Bm Wara, “Pengaruh Latihan Range of Motion (Rom) Terhadap Fleksibilitas Sendi Lutut Pada Lansia Di Panti Wreda Wening Wardoyo Ungaran,” *Pengaruh Latih. ROM Media Ners*, vol. 1, no. 2, p. 49, 2007.
- [21] R. Setiawan, H. H. Triharminto, and M. Fahrurrozi, “Gesture Control Menggunakan IMU MPU 6050 Metode Kalman Filter Sebagai Kendali

- Quadcopter,” *Pros. Semin. Nas. Sains Teknol. dan Inov. Indones.*, vol. 3, no. November, pp. 411–422, 2021, doi: 10.54706/senastindo.v3.2021.133.
- [22] R. Multajam, "Desain dan Analisis Elektromiograf (EMG) Serta Aplikasinya dalam Mendeteksi Sinyal Otot" vol. 24, no. 2, pp. 94–104, 2016.
- [23] A. R. S. H. Putra, “Pemrosesan dan Klasifikasi Sinyal Navigasi berbasis Electromyography (EMG) pada Otot Lengan Bawah,” pp. 1–47, 2020.
- [24] N. Kholis, “Generator Sinyal Electromyographic Dengan Menggunakan Metode Fast Fourier Transform,” *Semesta Tek.*, vol. 9, no. 2, pp. 146–161, 2006.
- [25] N. A. Nugroho, A. Arifin, and M. H. Fatoni, “Pengembangan Instrumentasi Surface Electromyogram untuk Pemanfaatan Sistem Kendali Kursi Roda Elektrik,” *J. Tek. ITS*, vol. 11, no. 2, pp. 85–90, 2022, doi: 10.12962/j23373539.v11i2.85943.
- [26] J. M. Gregson, M. J. Leathley, A. P. Moore, T. L. Smith, A. K. Sharma, and C. L. Watkins, “Reliability of measurements of muscle tone and

- muscle power in stroke patients,” *Age Ageing*, vol. 29, no. 3, pp. 223–228, 2000, doi: 10.1093/ageing/29.3.223.
- [27] G. T. Allison and T. Fujiwara, “The relationship between EMG median frequency and low frequency band amplitude changes at different levels of muscle capacity,” *Clin. Biomech.*, vol. 17, no. 6, pp. 464–469, 2002, doi: 10.1016/S0268-0033(02)00033-5.
- [28] R. Ramadhani, R. Munandi, and S. Astuti, “Implementation And Design Of Iot-Based Aquascape Automatic Water Temperature And Ph Control,” vol. 9, no. 2, pp. 414–418, 2022.
- [29] Y. Srinayanti, W. Widiyanti, D. Andriani, F. A. Firdaus, and H. Setiawan, “Range of Motion Exercise to Improve Muscle Strength among Stroke Patients: A Literature Review,” *Int. J. Nurs. Heal. Serv.*, vol. 4, no. 3, pp. 332–343, 2021, doi: 10.35654/ijnhs.v4i3.464.
- [30] A. J. Goff and M. R. Elkins, “Knee osteoarthritis,” *J. Physiother.*, vol. 67, no. 4, pp. 240–241, 2021, doi: 10.1016/j.jphys.2021.08.009.

- [31] 3, Author(s), and Ananda Mohon Ghosh ; Debashish Halder ; S K Alamgir Hossain, "Remote health monitoring system through IoT - IEEE Xplore Document," pp. 921–926, 2016, [Online]. Available:
<http://ieeexplore.ieee.org/document/7760135/>
- [32] M. P. M. Steultjens, J. Dekker, M. E. Van Baar, R. A. B. Oostendorp, and J. W. J. Bijlsma, "Range of joint motion and disability in patients with osteoarthritis of the knee or hip," *Rheumatology*, vol. 39, no. 9, pp. 955–961, 2000, doi: 10.1093/rheumatology/39.9.955.
- [33] C. J. De Luca, A. Adam, R. Wotiz, L. D. Gilmore, and S. H. Nawab, "Decomposition of surface EMG signals," *J. Neurophysiol.*, vol. 96, no. 3, pp. 1646–1657, 2006, doi: 10.1152/jn.00009.2006.
- [34] B. Bigland-Ritchie, E. F. Donovan, and C. S. Roussos, "Conduction velocity and EMG power spectrum changes in fatigue of sustained maximal efforts," *J. Appl. Physiol. Respir. Environ. Exerc. Physiol.*, vol. 51, no. 5, pp. 1300–1305, 1981, doi: 10.1152/jappl.1981.51.5.1300.