

## DAFTAR PUSTAKA

- [1] M. A. Saputro, E. R. Widasari, and H. Fitriyah, “Implementasi Sistem Monitoring Detak Jantung dan Suhu Tubuh Manusia Secara Wireless,” *Pengemb. Teknol. Inf. Dan Ilmu Komput.*, vol. 1, no. 2, pp. 148–156, 2017, [Online]. Available: <http://j-ptiik.ub.ac.id/index.php/j-ptiik/article/view/53>
- [2] J. Su *et al.*, “Real-time Fusion of ECG and SpO<sub>2</sub> Signals to Reduce False Alarms,” *Comput. Cardiol. (2010).*, vol. 2018-Septe, pp. 1–4, 2018, doi: 10.22489/CinC.2018.163.
- [3] A. S. Utomo, E. H. P. Negoro, and M. Sofie, “Monitoring Heart Rate Dan Saturasi Oksigen Melalui Smartphone,” *Simetris J. Tek. Mesin, Elektro dan Ilmu Komput.*, vol. 10, no. 1, pp. 319–324, 2019, doi: 10.24176/simet.v10i1.3024.
- [4] A. F. Putri and A. Widianoro, “Monitoring Ekg (Elektrokardiograf) Berbasis Mikrokontroler Dan Pemrograman Delphi 7.0,” *J. Tek. Elektro dan Komput. TRIAC*, vol. 7, no. 1, pp. 23–27, 2020, doi:

10.21107/triac.v7i1.7196.

- [5] A. Yudhana, A. Surya, and K. Putra, “Purwarupa Deteksi Respon Denyut Nadi Dengan Heart Beat Sensor Berbasis Aplikasi Android,” *Transmisi*, vol. 21, no. 2, pp. 51–55, 2019.
- [6] R. HARDIYANTI, A. P. P. Prasetyo, and A. Hermansyah, “Sistem Perekam Detak Jantung Berbasis Internet of Things (Iot) Dengan Menggunakan Pulse Heart Rate Sensor Pada Jari Tangan,” vol. 8, no. 2, pp. 338–348, 2021, [Online]. Available:[https://repository.unsri.ac.id/54333/%0Ahttps://repository.unsri.ac.id/54333/3/RAMA\\_56401\\_09040581822009\\_0020108805\\_01\\_front\\_ref.pdf](https://repository.unsri.ac.id/54333/%0Ahttps://repository.unsri.ac.id/54333/3/RAMA_56401_09040581822009_0020108805_01_front_ref.pdf)
- [7] Mardiansah and Wildian, “Rancang Bangun Alat Monitoring Detak Jantung Pasien Rumah Sakit dengan Sistem Telemetri Berbasis Ardiuno UNO R3,” *J. Fis.*, vol. 8, no. 4, pp. 355–361, 2019.
- [8] F. R. Alifiandi, E. Sakti Pramukantoro, and R. Primananda, “Penerapan Mekanisme Transmisi Data ECG Berbasis Teknologi LoRa (Long Range),” vol. 4, no. 1, pp. 90–99, 2020, [Online].

Available: <http://j-ptiik.ub.ac.id>

- [9] M. S. Linnas, S. Sumber, and P. A. Tetraputra, "Portable Electrocardiograph Dengan Sadapan Pada Telapak Tangan Dan Kaki," *J. Teknokes*, vol. 13, no. 2, pp. 107–114, 2020, doi: 10.35882/teknokes.v13i2.7.
- [10] Z. Annisa, P. C. Nugraha, and M. R. Makruf, "An Advanced Holter Monitor Using AD8232 and MEGA 2560," *J. Teknokes*, vol. 14, no. 2, pp. 80–87, 2021, doi: 10.35882/teknokes.v14i2.6.
- [11] I. R. Sofiani, R. Kharisma, and L. Syafa'ah, "Sistem Monitoring Heart Rate dan Oksigen Dalam Darah Berbasis LoRa," *Med. Tek. J. Tek. Elektromedik Indones.*, vol. 2, no. 2, 2021, doi: 10.18196/mt.v2i2.11465.
- [12] I. Prayogo, R. Alfita, and K. A. Wibisono, "Monitoring System for Heart Rate and Body Temperature as an IOT (Internet Of Thing)-Based Patient Health Level Indicator Using the Fuzzy Logic Method Using Android," *J. Electr. Comput. Eng. TRIAC*, vol. 4, no. 2, 2017.
- [13] E. Acantha Manapa, I. Endro Ariyanto, and E.

- Mustofa Jadied, “Makalah Seminar Tugas Akhir Implementasi dan Analisis Sistem Operasi Waktu-Nyata CHIBI Pada Mikrokontroler ARM,” vol. 3, no. 2, pp. 3672–3680, 2016.
- [14] M. Liona Pratiwi, “Modul Spektrum Sinyal Suara dengan Menggunakan ARM Cortex STM32F401,” *J. Elektro dan Mesin Terap.*, vol. 3, no. 1, pp. 20–26, 2017, doi: 10.35143/elementer.v3i1.923.
- [15] H. Ashari, “Stm32 Arm Cortex-M Sebagai Media Pembelajaran Mikrokontroler,” *第24回大学教育研究フォーラム予稿集*, p. 121, 2018, [Online]. Available: <https://eprints.uny.ac.id/62566/>
- [16] A. Mubarik and A. M. Iqbal, “Holter Monitor,” *StatPearls*, pp. 1–8, 2020, [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/30855791>
- [17] S. Anwar, “Rancang Bangun Elektrokardiograph Berbasis Personal Computer (Pc),” *Elektron J. Ilm.*, vol. 1, no. 1, pp. 11–19, 2009, doi: 10.30630/eji.1.1.5.
- [18] S. Hidayatulah, A. M. R, and Darjat, “Perancangan Alat Pengukur Detak Jantung Dengan Sensor Fotodioda Berbasis Photoplethysmography (PPG)

- Menggunakan ATmega32A,” *Transient*, vol. 4, no. 2, pp. 312–316, 2015.
- [19] Rohadatul ‘Aisy, “Cardiac Monitor Berbasis Personal Computer (PC) Parameter Electrocardiograph (ECG,” vol. 1, no. 0, pp. 1–12, 2016.
- [20] H. Maros and S. Juniar, “濟無No Title No Title No Title,” pp. 1–23, 2016.
- [21] T. Sollu Suryani, “Sistem Monitoring Detak Jantung dan Suhu Tubuh Menggunakan Arduino Monitoring System Heartbeat and Body Temperature Using Arduino,” *J. Teknol. Inf. Techno.Com*, vol. 17, no. 3, pp. 323–332, 2018.
- [22] R. I. Darmawan, A. Surtono, D. K. Apriyanto, and A. Supriyanto, “Design of Computer Based 12 Lead ECG Using STM32F401 Microcontroller,” *J. Energy, Mater. Instrum. Technol.*, vol. 3, no. 4, pp. 147–156, 2022, doi: 10.23960/jemit.v3i4.127.
- [23] S. Anwar, “Bpm Pada Carotid Artery Berbasis Pc Via Bluetooth,” *J. Chem. Inf. Model.*, vol. 110, no. 9, pp. 1689–1699, 2017.
- [24] S. Abdilah, “Central Pasien Monitor (Monitoring

- EKG dan BPM),” *J. Tek. Elektromedik*, vol. 2, no. 1, pp. 1–12, 2017.
- [25] N. D. Putu Anggi Trisna, H. Andjar Pudji, and dan T. Moch Prastawa Assalim, “Seminar Tugas Akhir Rancang Bangun Alat Ukur Pemeriksaan Vital Signs Tampil PC ( Respirasi & Heart Rate),” *Semin. Tugas Akhir*, pp. 1–10, 2018.
- [26] I. Yessianto, S. Setiawidayat, D. U. Effendy, and S. Einthoven, “Perancangan Alat Monitoring Sinyal Jantung,” *Conf. Innov. Appl. Sci. Technol. (CIASTECH 2018)*, no. September, pp. 601–608, 2018.
- [27] M. N. A. Mufarid, B. G. Irianto, and A. Pudji, “Central Monitor Based On Personal Computer Using One Wireless Receiver,” *Indones. J. Electron. Electromed. Eng. Med. informatics*, vol. 1, no. 1, pp. 7–13, 2019, doi: 10.35882/ijeeemi.v1i1.2.
- [28] W. J. Iskandar, I. Roihan, and R. A. Koestoer, “Prototype low-cost portable electrocardiogram (ECG) based on Arduino-Uno with Bluetooth feature,” *AIP Conf. Proc.*, vol. 2193, no. December

2019, 2019, doi: 10.1063/1.5139392.

- [29] R. Kher, B. Thakker, N. Gandhi, and J. Patel, “Ambulatory ECG Recording System Based on ADS 1298 and STM32L431xx Microcontroller,” *Int. J. Simul. Syst. Sci. Technol.*, pp. 1–6, 2019, doi: 10.5013/ijssst.a.20.05.03.
- [30] D. Rahmawarni, “Sistem Monitoring Saturasi Oksigen dan Denyut Nadi dalam Darah Menggunakan Sensor MAX30100 Via Telegram Berbasis IoT,” *J. Fis. Unand*, vol. 10, no. 3, pp. 377–383, 2021.
- [31] H. H. RACHMAT and D. R. AMBARANSARI, “Sistem Perekam Detak Jantung Berbasis Pulse Heart Rate Sensor pada Jari Tangan,” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 6, no. 3, p. 344, 2018, doi: 10.26760/elkomika.v6i3.344.
- [32] V. Miron-alexe, “Mobile Cardiac Telemetry System for Isolated,” vol. 2, no. 2, pp. 597–606, 2021.
- [33] M. Erliyanto and S. S. Ir, “Perancangan Perangkat Monitoring Denyut Jantung ( Heart-Beat

- Monitoring ) Dengan Visualisasi Lcd Grafik Berbasis Atmel At89C51,” pp. 294–299, 2008.
- [34] M. Atmega, “C. Suhu normal tubuh normal yang terukur pada pagi hari berkisar  $\leq 37.2$ ,” vol. 8, no. 10, pp. 1–13.
- [35] P. Karina and A. H. Thohari, “Perancangan Alat Pengukur Detak Jantung Menggunakan Pulse Sensor Berbasis Raspberry,” *J. Appl. Informatics Comput.*, vol. 2, no. 2, pp. 57–61, 2018, doi: 10.30871/jaic.v2i2.920.
- [36] D. A. Arianto, B. G. I, T. Hamzah, and K. K. Spo, “Seminar Tugas Akhir Mei 2018 Pasien Monitor digunakan untuk memonitor beberapa parameter kesehatan pasien secara non invasive . Pemantauan SpO<sub>2</sub> , BPM dan Laju pernapasan bagi orang yang melakukan rawat jalan adalah suatu hal yang penting . Untuk mencegah ,” 2018.
- [37] T. Istiqomah, “Rancang bangun Elektrokardiograf,” *Ranc. Bangun Elektrokardiograf*, no. 071211533039, pp. 22–72, 2012.
- [38] D. Mulyadi and S. Nuryadi, “Sistem Deteksi Dini

Kelainan Jantung Manusia Menggunakan Elektrokardiograf,” 2018, [Online]. Available: [http://eprints.uty.ac.id/2378/%0Ahttp://eprints.uty.ac.id/2378/1/NASKAH\\_PUBLIKASI.pdf](http://eprints.uty.ac.id/2378/%0Ahttp://eprints.uty.ac.id/2378/1/NASKAH_PUBLIKASI.pdf)

- [39] A. A. Willa Olivia, “Rancang Bangun Kalibrator Elektrokardiogram,” *Sinusoida*, vol. 19, no. 2, 2017, [Online]. Available: <http://ojs.istn.ac.id/index.php/sinusoida/article/view/8>
- [40] A. B. Dhariyanto, B. G. I, and D. Titisari, “Central Monitor Berbasis Personal Computer ( Pc ) Via Wireless ( Parameter Electrocardiograph Dan Detak Jantung ),” *Digilib*, pp. 2–10, 2018.
- [41] I. Nasiqin, A. Surtono, and A. Pauzi, “Rancang Bangun Penguat Biopotensial Elektrokardiografi,” *Teor. dan Apl. Fis.*, vol. 3, no. 2, pp. 188–194, 2015.
- [42] Tedy Tri Saputro, “STM32F7 : Seri Mikrokontroler STM32 Berintikan ARM Cortex-M7,” *embeddednesia*, 2019. <https://embeddednesia.com/v1/stm32f7-seri-mikrokontroler-stm32-berintikan-arm-cortex-m7/> (accessed Sep. 15, 2022).

- [43] Paul Golata, “STM32F7 32-Bit MCU+FPU,” *MOUSER electronic*, 2015. <https://www.mouser.co.id/new/stmicroelectronics/stm-stm32f7-mcu-fpu/> (accessed Sep. 16, 2022).
- [44] T. D. Hendrawati and I. Lesmana, “Rancang Bangun Saklar Lampu Otomatis dan Monitoring Suhu Rumah Menggunakan VB. Net dan Arduino,” *J. Teknol. Rekayasa*, vol. 1, no. 1, p. 67, 2017, doi: 10.31544/jtera.v1.i1.2016.67-72.