DAFTAR PUSTAKA

[1]   J. Homsy and P. J. Podrid, "Electrocardiography," *MGH Cardiol. Board Rev.*, pp. 580–622, 2014, doi: 10.1007/978-1-4471-4483-0_36.

[2]   M. Moshinsky, *CARDIOVASCULAR PHYSIOLOGY*, vol. 13, no. 1. 1959.

[3]   A. Nurhasim, "Data Bicara : gaya hidup buruk dan faktor usia tingkatkan risiko terkena penyakit jantung," pp. 2–5, 2022.

[4]   RISKESDAS, "Hasil Utama RISKESDAS 2018," p. 220, 2018.

[5]   A. K. Nastiti, E. Purwanti, and A. Supardi, "Klasifikasi Kelainan Jantung Dengan Metode Transformasi Fourier Dan Jaringan Saraf Tiruan," *Klasifikasi Kelainan Jantung Dengan Metod. Transform. Fourier Dan Jar. Saraf Tiruan*, 2013.

[6]   World Health Organization (WHO), "Cardiovascular disease prevention and control Translating evidence," pp. 3–39, 2005.

[7]   Jumayanti, E. Y. A. B. , Anggi Lukman Wicaksana, and Sunaryo, "KUALITAS HIDUP PASIEN DENGAN PENYAKIT KARDIOVASKULAR DI YOGYAKARTA," *J. Kesehat.*, vol. 13, no. 1, pp. 1–12, 2020.

[8]   T. Hirai, M. Fujita, N. Yoshida, K. Yamanishi, M. Inoko, and K. Miwa, "Importance of ischemic preconditioning and collateral circulation for left ventricular functional recovery in patients with successful intracoronary thrombolysis for acute

myocardial infarction," *Am. Heart J.*, vol. 126, no. 4, pp. 827–831, 1993, doi: 10.1016/0002-8703(93)90695-6.

[9]   A. Bollmann, N. K. Kanuru, K. K. McTeague, P. F. Walter, D. B. DeLurgio, and J. J. Langberg, "Frequency analysis of human atrial fibrillation using the surface electrocardiogram and its response to ibutilide," *Am. J. Cardiol.*, vol. 81, no. 12, pp. 1439–1445, 1998, doi: 10.1016/S0002-9149(98)00210-0.

[10]   P. Smetana, V. N. Batchvarov, K. Hnatkova, A. J. Camm, and M. Malik, "Ventricular gradient and nondipolar repolarization components increase at higher heart rate," *Am. J. Physiol. - Hear. Circ. Physiol.*, vol. 286, no. 1 55-1, pp. 131–136, 2004, doi: 10.1152/ajpheart.00479.2003.

[11]   L. Angermann and V. V. Yatsyk, "Spectral analysis," *Math. Eng.*, no. September, pp. 77–100, 2019, doi: 10.1007/978-3-319-96301-3_4.

[12]   K. P. Lin and W. H. Chang, "QRS Feature Extraction Using Linear Prediction," *IEEE Trans. Biomed. Eng.*, vol. 36, no. 10, pp. 1050–1055, 1989, doi: 10.1109/10.40806.

[13]   Windia Wulan Agustin, "PENGARUH TERAPI TERTAWA TERHADAP TEKANAN DARAH PENDERITA HIPERTENSI DI PAGUYUBAN JANTUNG SEHAT DESA RREMPOAH WILAYAH KERJA PUSKESMAS BATURADEN II KABUPATEN BAYUMAS (BAB II)," *Univ. Muhammdyah Purwokerto*, 2015.

[14]   A. J. PUSPITASARI, "RANCANG BANGUN

BLOOD PRESSURE MONITOR MENGGUNAKAN METODE OSILOMETRI DENGAN SENSOR TEKANAN MPX5050GP," 2015.

[15] A. Foley *et al.*, "Clinical Practice Guideline: Non-Invasive Blood Pressure Measurement. Emergency Nueses Association," 2018, [Online]. Available: https://emscproduction-appbucket-dxo55y1hsftn.s3.amazonaws.com/media/document s/nibpmcpg.pdf?AWSAccessKeyId=ASIATSFNX F4LSVXE4ECP&Signature=od6BTLIEqqGSQmr 3QEk1saL2v0g%3D&x-amz-security-token=IQoJb3JpZ2luX2VjECIaCXVzLXdlc3QtM iJIMEYCIQD03OcfNZGNR5Q0O5z1y9TOQ.

[16] S. P. S-, K. Stikes, K. Husada, S. Email, P. Pasien, and U. Estimas, "MEAN ARTERIAL PRESSURE NON INVASIF BLOOD PRESSURE (MAP-NIBP) PADA LATERAL POSITION DALAM PERAWATAN INTENSIF : STUDI," pp. 565–569, 2016.

[17] M. Mitra, "Cardiac Monitoring to aid in Diagnosis," no. December, 2020, doi: 10.35877/454RI.jinav156.

[18] Rohadatul 'Aisy, "Cardiac Monitor Berbasis Personal Computer (PC) Parameter Electrocardiograph (ECG," vol. 1, no. 0, pp. 1–12, 2016.

[19] E. Supriyanto, R. Hendradi, U. Airlangga, and A. Arifin, "Analisa Sinyal Electrocardiography dan Menggunakan Continuous Wavelet Transform," no. May 2014, 2012.

[20] E. A. Suprayitno, "Sistem Instrumentasi Sinyal Electrocardiography untuk Analisa Dinamika Jantung," no. June 2015, 2012.

[21] U. Machine and L. Techniques, "Non-Invasive Blood Pressure Estimation from ECG Using Machine Learning Techniques," pp. 1–20, 2018, doi: 10.3390/s18041160.

[22] R. Alvionita *et al.*, "Design Multi Parameters Cardiac Monitor," no. 10, 2019.

[23] T. Le *et al.*, "Continuous Non-Invasive Blood Pressure Monitoring: A Methodological Review on Measurement Techniques," *IEEE Access*, vol. 8, pp. 212478–212498, 2020, doi: 10.1109/ACCESS.2020.3040257.

[24] A. R. Masnulula and H. G. Ariswati, "Development of Cardiac Monitor Using Piezoelectric Through Carotid Pulse," vol. 1, no. 1, 2021.

[25] A. K. Abbas and R. Bassam, *Phonocardiography Signal Processing*. 2009.

[26] E. Novita Indra, "Pengaturan Tekanan Darah Jangkapendek, Jangka Menengah,Dan Jangka Panjang," *Medikora*, no. 2, pp. 185–200, 2015, doi: 10.21831/medikora.v0i2.4677.

[27] F. 'Izza Luthfiyah and N. Widajati, "Analisis Peningkatan Tekanan Darah pada Pekerja yang Terpapar Kebisingan," *J. Heal. Sci. Prev.*, vol. 3, no. 1, pp. 1–9, 2019, doi: 10.29080/jhsp.v3i1.140.

[28] L. H. Mariati and Y. Hepilita, "Deteksi Dini Tingkat Tekanan Darah Pada Perokok Usia

Muda," *J. Chem. Inf. Model.*, vol. 1, no. 1, pp. 40–50, 2020.

[29] Djoko Santoso, *Membonsai hipertensi*. Surabaya: Jaring Pena, 2010.

[30] E. B. Yossi Eriska, Ari Adrianto, "KESESUAIAN TIPE TENSIMETER PEGAS DAN TENSIMETER DIGITAL TERHADAP PENGUKURAN TEKANAN DARAH PADA USIA DEWASA," vol. 5, no. 4, pp. 1923–1929, 2016.

[31] J. E. H. Arthur C Guyton, "Buku Ajar Fisiologi Kedokteran," in *Edition 11*, 2011, pp. 256–64.

[32] T. RAHMAN, "Perbedaan Tekanan Darah pada Pasien Hipertensi Sebelum dan Sesudah Menjalani Pemeriksaan oleh Dokter di RSUD Simo Boyolali," *Acta Mater.*, vol. 33, no. 10, pp. 348–352, 2012, [Online]. Available: http://dx.doi.org/10.1016/j.actamat.2015.12.003%0Ahttps://inis.iaea.org/collection/NCLCollectionStore/_Public/30/027/30027298.pdf?r=1&r=1%0Ahttp://dx.doi.org/10.1016/j.jmrt.2015.04.004.

[33] S. S. Lim *et al.*, "A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: A systematic analysis for the Global Burden of Disease Study 2010," *Lancet*, vol. 380, no. 9859, pp. 2224–2260, 2012, doi: 10.1016/S0140-6736(12)61766-8.

[34] N. D. Wong, V. A. Lopez, G. L'Italien, R. Chen, S. E. J. Kline, and S. S. Franklin, "Inadequate control of hypertension in US adults with

cardiovascular disease comorbidities in 2003-2004," *Arch. Intern. Med.*, vol. 167, no. 22, pp. 2431–2436, 2007, doi: 10.1001/archinte.167.22.2431.

[35] H. O. Ventura and C. J. Lavie, "The importance of achieving blood pressure control, what is the target?," *Curr. Opin. Cardiol.*, vol. 32, no. 4, pp. 363–364, 2017, doi: 10.1097/HCO.0000000000000418.

[36] Minerva, "Cardiac Monitoring," 2006.

[37] R. Jessica K. Zègre-Hemsey, PhD, RNa, J. Lee Garvey, MD, and Mary G. Carey, PhD, "Cardiac Monitoring in the Emergency Department Jessica," *HHS Public Access*, vol. 28, no. 3, pp. 331–345, 2017, doi: 10.1016/j.cnc.2016.04.009.Cardiac.

[38] P. S. Science *et al.*, "ce pte d M us," *Mater. Des.*, vol. 11, no. 20, pp. 5035–5040, 2021, [Online]. Available: https://doi.org/10.1016/j.matdes.2020.109338.

[39] M. R. M. S. M. S. Nurul Azizah, Dr. I Dewa Gede Hari W. ST. MT., "Cardiac Monitor Berbasis Personal Computer (PC) (Parameter Phonokardiograph)," pp. 1–10.

[40] E. Supriyanto, R. Hendradi, U. Airlangga, and A. Arifin, "Analisa Sinyal Electrocardiography dan Menggunakan Continuous Wavelet Transform," no. May, 2012.

[41] A. A. Eko Agus Suprayitno, "Sistem Instrumentasi Sinyal Electrocardiography untuk Analisa Dinamika Jantung," no. September, 2012.

[42] R. Alvionita *et al.*, "Design of Cardiac Monitor for Multi Parameters," *Proc. - 2019 Int. Semin. Appl. Technol. Inf. Commun. Ind. 4.0 Retrosp. Prospect. Challenges, iSemantic 2019*, pp. 423–428, 2019, doi: 10.1109/ISEMANTIC.2019.8884264.

[43] C. M. Kelly, "System for processing signal data representing physiological parameters," vol. 2, no. 12, 2004.

[44] Fay Valentine; Lesley Lowes, *Nursing Care of Children and Young People with Chronic Illness*, vol. 17, no. 5a. 2008.

[45] S. Reule and P. E. Drawz, "Heart Rate and Blood Pressure : Any Possible Implications for Management of Hypertension ?," pp. 478–484, 2012, doi: 10.1007/s11906-012-0306-3.

[46] Paola Palatini; Stevo Julius, "Heart Rate and The Cardiovascular Risk," *J. Hypertens.*, vol. 15, pp. 3–117, 1997, [Online]. Available: https://journals.lww.com/jhypertension/Citation/1997/15010/Heart_rate_and_the_cardiovascular_risk.1.aspx.

[47] G. Monroy Estrada, L. E. Mendoza, and V. Molina, "Relationship of blood pressure with the electrical signal of the heart using signal processing," *Tecciencia*, vol. 9, no. 17, pp. 9–16, 2014, doi: 10.18180/tecciencia.2014.17.1.

[48] M. Elgendi, R. Fletcher, Y. Liang, N. Howard, N. H. Lovell, and D. Abbott, "The use of photoplethysmography for assessing hypertension," *npj Digit. Med.*, no. June, 2019, doi: 10.1038/s41746-019-0136-7.

[49] R. C. Peng, W. R. Yan, N. L. Zhang, W. H. Lin, X. L. Zhou, and Y. T. Zhang, "Cuffless and Continuous Blood Pressure Estimation from the Heart Sound Signals," *Sensors*, vol. 15, no. 9, pp. 23653–23666, 2015, doi: 10.3390/S150923653.

[50] M. Wang, B. Guo, Y. Hu, Z. Zhao, C. Liu, and H. Tang, "Transfer Learning Models for Detecting Six Categories of Phonocardiogram Recordings," *J. Cardiovasc. Dev. Dis.*, vol. 9, no. 3, 2022, doi: 10.3390/jcdd9030086.

[51] S. Kozier, Erb, Berman, *Buku Ajar Fundamental Keperawatan : Konsep, Proses & Praktik, Volume : 1, Edisi : 7,* 7th ed. Jakarta : Penerbit Buku Kedokteran ECG, 2010.

[52] G. S. Stergiou *et al.*, "A universal standard for the validation of blood pressure measuring devices: Association for the Advancement of Medical Instrumentation/European Society of Hypertension/International Organization for Standardization (AAMI/ESH/ISO) Collaboration Statement," *Hypertension*, vol. 71, no. 3, pp. 368–374, 2018, doi: 10.1161/HYPERTENSIONAHA.117.10237.

[53] S. Z. Sigit, "Uji Kelaikan Patient Monitor Melalui PengujianDan Kalibrasi," *Uji Kelaikan Patient Monit. Melalui Penguji. Dan Kalibr.*, pp. 5–41, 2019.

[54] S. K. Ghosh and R. N. Ponnalagu, "A novel algorithm based on stockwell transform for boundary detection and segmentation of heart sound components from PCG signal," *2019 IEEE 16th India Counc. Int. Conf. INDICON 2019 -*

Symp. Proc., no. December, 2019, doi: 10.1109/INDICON47234.2019.9030299.

[55] M. Fakhry and A. F. A. Brery, "Comparison of window shapes and lengths in short-time feature extraction for classification of heart sound signals," *Int. J. Electr. Comput. Eng.*, vol. 12, no. 6, pp. 6090–6102, 2022, doi: 10.11591/ijece.v12i6.pp6090-6102.

[56] X. Wang, C. Liu, Y. Li, X. Cheng, J. Li, and G. D. Clifford, "Temporal-Framing Adaptive Network for Heart Sound Segmentation without Prior Knowledge of State Duration," *IEEE Trans. Biomed. Eng.*, vol. 68, no. 2, pp. 650–663, 2021, doi: 10.1109/TBME.2020.3010241.

[57] A. Djebbari and F. Bereksi-Reguig, "Detection of the valvular split within the second heart sound using the reassigned smoothed pseudo Wigner-Ville distribution," *Biomed. Eng. Online*, vol. 12, no. 1, 2013, doi: 10.1186/1475-925X-12-37.

[58] Wikipedia, "Systole," *a Wikiedia Project*, 2023.

[59] Wikipedia, "Diastole," *a Wikiedia Project*, 2023. https://en.wikipedia.org/wiki/Diastole (accessed Oct. 13, 2023).

[60] V. N. Varghees and K. I. Ramachandran, "A novel heart sound activity detection framework for automated heart sound analysis Biomedical Signal Processing and Control Short Communication A novel heart sound activity detection framework for automated heart sound analysis," *Biomed. Signal Process. Control*, vol. 13, no. September, pp. 174–188, 2014, doi: 10.1016/j.bspc.2014.05.002.

[61] S. Noimanee, T. Tunkasiri, K. Siriwitayakorn, and J. Tantrakoon, "Piezoelectric Ceramics Sensor Based on the Computerization," pp. 3192–3208, 2007.

[62] C. Liu, D. Springer, Q. Li, B. Moody, R. A. Juan, and F. J. Chorro, "An Open Access Database for the Evaluation of Heart Sound Algorithms," no. November, 2016, doi: 10.1088/0967-3334/37/12/2181.

[63] X. Bao, Y. Deng, N. Gall, and E. N. Kamavuako, "Analysis of ECG and PCG time delay around auscultation sites," *BIOSIGNALS 2020 - 13th Int. Conf. Bio-Inspired Syst. Signal Process. Proceedings; Part 13th Int. Jt. Conf. Biomed. Eng. Syst. Technol. BIOSTEC 2020*, no. January 2021, pp. 206–213, 2020, doi: 10.5220/0008942602060213.

[64] T. Omari and F. Bereksi-Reguig, "A new approach for blood pressure estimation based on phonocardiogram," *Biomed. Eng. Lett.*, vol. 9, no. 3, pp. 395–406, 2019, doi: 10.1007/s13534-019-00113-z.

[65] A. E. Dastjerdi, M. Kachuee, and M. Shabany, "Non-invasive blood pressure estimation using phonocardiogram," *Proc. - IEEE Int. Symp. Circuits Syst.*, no. May 2019, 2017, doi: 10.1109/ISCAS.2017.8050240.

[66] C. C. Hsiao, J. Horng, R. G. Lee, and R. Lin, "Design and implementation of auscultation blood pressure measurement using vascular transit time and physiological parameters," *2017 IEEE Int. Conf. Syst. Man, Cybern. SMC 2017*, vol. 2017-

January, pp. 2996–3001, 2017, doi: 10.1109/SMC.2017.8123084.

[67] F. M. Kandou, Bahrun, S. R. U. A. Sompie, and B. S. Narasiang, "Rancang Bangun Alat Ukur Tekanan Darah Manusia Menggunakan Sensor 2SMPP yang Dapat Menyimpan Data," *E-journal Tek. Elektro dan Komput.*, vol. 1, no. 1, pp. 57–64, 2014.

[68] M. F. Syahputra, R. F. Rahmat, and J. A. Sitepu, "Visualisasi Suara Jantung Manusia Pada Platform Mobile," *Lentera*, vol. 15, no. 6, pp. 66–72, 2015.

[69] "Association for the Advancement of Medical Instrumentation et al. American national standard. manual, electronic or automated sphygmomanometers.," vol. ANSI/AAMI.