

DAFTAR PUSTAKA

- [1] I. Puspasari and P. Susanto, “Telereport Target Heart Rate (THR) pada Cardio Exercise Berbasis Metode Karvonen,” in *Seminar Nasional Aplikasi Teknologi Informasi (SNATi)*, 2018, pp. 11–2018.
- [2] T. P. Tunggal, A. Latif, and I. Iswanto, “Low-cost portable heart rate monitoring based on photoplethysmography and decision tree,” in *AIP Conference Proceedings*, 2016. doi: 10.1063/1.4958522.
- [3] J. G. Webster, *Medical instrumentation: application and design*. John Wiley & Sons, 2009.
- [4] J. Allen, “Photoplethysmography and its application in clinical physiological measurement,” *Physiol Meas*, vol. 28, no. 3, 2007, doi: 10.1088/0967-3334/28/3/R01.
- [5] T. Tamura, “Current progress of photoplethysmography and SPO₂ for health monitoring,” *Biomed Eng Lett*, vol. 9, no. 1, pp. 21–36, 2019.
- [6] A. Chatterjee and U. K. Roy, “PPG based heart rate algorithm improvement with butterworth IIR filter and Savitzky-Golay FIR filter,” in *2018 2nd*

International Conference on Electronics, Materials Engineering and Nano-Technology, IEMENTech 2018, IEEE, 2018, pp. 1–6. doi: 10.1109/IEMENTECH.2018.8465225.

- [7] R. C. R, S. K. P, and S. P, “Design and Development of Miniaturized Pulse Oximeter for Continuous Spo₂ and HR Monitoring with Wireless Technology,” *International Journal of New Technology and Research*, vol. 1, no. 1, p. 263706, 2015.
- [8] I. A. E. Zaeni, Aripriharta, M. Jiono, D. R. Anzani, and L. Hernandez, “Implementation of Adaptive Threshold for Peak Detection of Photoplethysmography Applied on Microcontroller,” in *ICEEIE 2019 - International Conference on Electrical, Electronics and Information Engineering: Emerging Innovative Technology for Sustainable Future*, 2019, pp. 226–229. doi: 10.1109/ICEEIE47180.2019.8981423.
- [9] G. Joseph, A. Joseph, G. Titus, R. M. Thomas, and D. Jose, “Wavelet De-Noising,” 2014.
- [10] A. Luke, S. Shaji, and K. A. Unnikrishna Menon, “Motion Artifact Removal and Feature Extraction

- from PPG Signals Using Efficient Signal Processing Algorithms,” in *2018 International Conference on Advances in Computing, Communications and Informatics, ICACCI 2018*, IEEE, 2018, pp. 624–630. doi: 10.1109/ICACCI.2018.8554599.
- [11] X. Zhu, J. Liu, and Y. Zha, “Application of photoplethysmography signal in diagnosis of cerebrovascular disease and its extraction method based on Wavelet Transform,” *J Phys Conf Ser*, vol. 2031, no. 1, pp. 0–12, 2021, doi: 10.1088/1742-6596/2031/1/012002.
- [12] A. M. Maghfiroh, L. Soetjiati, B. G. Irianto, T. Triwiyanto, A. Rizal, and N. Hidayanti, “Improved Heart Rate Measurement Accuracy by Reducing Artifact Noise from Finger Sensors Using Digital Filters,” *Indonesian Journal of Electronics, Electromedical Engineering, and Medical Informatics*, vol. 4, no. 2, pp. 68–77, 2022, doi: 10.35882/ijeeemi.v4i2.4.
- [13] M. Merino-Monge, J. A. Castro-García, C. Lebrato-Vázquez, I. M. Gómez-González, and A. J. Molina-Cantero, “Heartbeat detector from ECG and PPG

signals based on wavelet transform and upper envelopes,”

Phys Eng Sci Med, vol. 46, no. 2, pp. 597–608, 2023,
doi: 10.1007/s13246-023-01235-6.

- [14] I. Yessianto, S. Setiawidayat, D. U. Effendy, and S. Einthoven, “Perancangan Alat Monitoring Sinyal Jantung,” in *Conference on Innovation and Application of Science and Technology (CIASTECH 2018)*, 2018, pp. 601–608.
- [15] T. Tamura, Y. Maeda, M. Sekine, and M. Yoshida, “Wearable photoplethysmographic sensors—past and present,” *Electronics (Basel)*, vol. 3, no. 2, pp. 282–302, 2014.
- [16] Z. Lin, J. Zhang, Y. Chen, and Q. Zhang, “Heart rate estimation using wrist-acquired photoplethysmography under different types of daily life motion artifact,” in *IEEE International Conference on Communications*, 2015, pp. 489–494. doi: 10.1109/ICC.2015.7248369.
- [17] J. G. Webster, “Medical instrumentation-application and design,” *J Clin Eng*, vol. 3, no. 3, p. 306, 1978.
- [18] J. G. Webster, *Bioinstrumentation*. John Wiley & Sons, 2003.

- [19] M. Elgendi, “On the Analysis of Photoplethysmogram Signal,” *Curr Cardiol Rev*, vol. 8, no. c, pp. 14–25, 2012.
- [20] R. B. I. E. Pulse, “A DIY photoplethysmographic sensor for measuring heart rate,” *Embedded Lab*, vol. 13, 2012.
- [21] K. Kazemi, J. Laitala, I. Azimi, P. Liljeberg, and A. M. Rahmani, “Neural Networks,” pp. 1–22, 2022.
- [22] W. G. Morsi and M. E. El-Hawary, “The most suitable mother wavelet for steady-state power system distorted waveforms,” in *Canadian Conference on Electrical and Computer Engineering*, 2008, pp. 17–22. doi: 10.1109/CCECE.2008.4564487.
- [23] S. K. D. Tang, Y. Y. S. Goh, M. L. D. Wong, and Y. L. E. Lew, “PPG signal reconstruction using a combination of discrete wavelet transform and empirical mode decomposition,” in *International Conference on Intelligent and Advanced Systems, ICIAS 2016*, 2017, pp. 0–3. doi: 10.1109/ICIAS.2016.7824118.
- [24] R. Hayati and R. Kurnia, “Simulasi Unjuk Kerja Discrete Wavelet Transform (DWT) dan Discrete

- Cosine Transform (DCT) untuk Pengolahan Sinyal Radar di Daerah yang Ber-Noise Tinggi,” *Jurnal Nasional Teknik Elektro*, vol. 3, no. 1, p. 32, 2014, doi: 10.25077/jnte.v3n1.53.2014.
- [25] Ü. Lepik, “Application of the Haar wavelet transform to solving integral and differential equations,” *Proceedings of the Estonian Academy of Sciences: Physics, Mathematics*, vol. 56, no. 1, pp. 28–46, 2007, doi: 10.3176/phys.math.2007.1.03.
- [26] Ü. Lepik and H. Hein, “Application of the Haar wavelet method for solution the problems of mathematical calculus,” *Waves, Wavelets and Fractals*, vol. 1, no. 1, 2015, doi: 10.1515/wwfaa-2015-0001.
- [27] A. Zaeni, T. Kasnalestari, and U. Khayam, “Application of Wavelet Transformation Symlet Type and Coiflet Type for Partial Discharge Signals Denoising,” in *Proceeding - 2018 5th International Conference on Electric Vehicular Technology, ICEVT 2018*, IEEE, 2019, pp. 78–82. doi: 10.1109/ICEVT.2018.8628460.

- [28] A. C. H. Rowe and P. C. Abbott, “Daubechies wavelets and Mathematica,” *Computers in Physics*, vol. 9, no. 6, pp. 635–648, 1995, doi: 10.1063/1.168556.
- [29] Y. I. Jang, J. Y. Sim, J. R. Yang, and N. K. Kwon, “The optimal selection of mother wavelet function and decomposition level for denoising of dcg signal,” *Sensors*, vol. 21, no. 5, pp. 1–17, 2021, doi: 10.3390/s21051851.
- [30] H. S. Shin, C. Lee, and M. Lee, “Adaptive threshold method for the peak detection of photoplethysmographic waveform,” *Comput Biol Med*, vol. 39, no. 12, pp. 1145–1152, 2009, doi: 10.1016/j.combiomed.2009.10.006.
- [31] D. Yang *et al.*, “A Novel Adaptive Spectrum Noise Cancellation Approach for Enhancing Heartbeat Rate Monitoring in a Wearable Device,” *IEEE Access*, vol. 6, no. April 2019, pp. 8364–8375, 2018, doi: 10.1109/ACCESS.2018.2805223.
- [32] J. D. Campbell, C. G. Pretty, J. G. Chase, and P. J. Bones, “A Robust Method of Peak Detection in Noisy PPG Signals Using a Structure of IIR Filters,” in *2018 14th IEEE/ASME International*

Conference on Mechatronic and Embedded Systems and Applications, MESA 2018, IEEE, 2018, pp. 1–6.
doi: 10.1109/MESA.2018.8449169.

- [33] S. Elektro, F. Teknik, U. N. Surabaya, S. Elektro, F. Teknik, and U. N. Surabaya, “MENGHITUNG DETAJ JANTUNG BERBASIS ARDUINO Riza Yulian Bambang Suprianto Abstrak,” *Jurnal Teknik Elektro*, vol. d, 2017.
- [34] S. Nasional and T. Terapan, “JILID II Kluster Sain dan Teknologi,” *Prosiding Seminar Nasional Teknologi Terapan SV UGM 2017*, no. ISBN 978-602-1159-27-9, pp. 373–378, 2017.