

DAFTAR PUSTAKA

- [1] World Health Organization, “Interim Guidance for Member States-On the Use of Pulse Oximetry in Monitoring Covid-19 Patients Under Home-Based Isolation and Care,” no. April, 2021.
- [2] World Health Organization, “Pulse Oximetry Training Manual,” *World Heal. Organ.*, pp. 7–8, 2011.
- [3] M. Proenca *et al.*, “Performance Assessment of a Dedicated Reflectance Pulse Oximeter in a Neonatal Intensive Care Unit,” *Proc. Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. EMBS*, vol. 2018-July, pp. 1502–1505, 2018, doi: 10.1109/EMBC.2018.8512504.
- [4] B. Sangeeta and S. Laxmi, “A Real Time Analysis of PPG Signal for Measurement of SpO₂ and Pulse Rate,” *Int. J. Comput. Appl.*, vol. 36, no. 11, pp. 45–50, 2011.
- [5] M. A. Firdaus, A. Pudji, and M. R. Mak, “Design a Vital Sign Monitor for Body Temperature (Axilla) and Oxymetry Parameters,” *J. Electron. Electromed. Med. Informatics*, vol. 2, no. 2, pp. 58–64, 2020.
- [6] R. Sameh, M. Genedy, A. Abdeldayem, and M. H. Abdel Azeem, “Design and Implementation of an SPO₂ Based Sensor for Heart Monitoring Using an Android Application,” in *Journal of Physics: Conference Series*, 2020, vol. 1447, no. 1. doi: 10.1088/1742-6596/1447/1/012004.

- [7] D. A. Suherlim, H. Permana, and L. Lubis, “Correlation between haemoglobin concentration and oxygen saturation (SpO_2) in elderly professors,” *J. thee Med. Sci. (Berkala Ilmu Kedokteran)*, vol. 50, no. 2, pp. 157–162, 2018, doi: 10.19106/jmedsci005002201804.
- [8] E. A. Suprayitno, M. R. Marlianto, and M. I. Mauliana, “Measurement device for detecting oxygen saturation in blood, heart rate, and temperature of human body,” *J. Phys. Conf. Ser.*, vol. 1402, no. 3, 2019, doi: 10.1088/1742-6596/1402/3/033110.
- [9] M. L. Vold, U. Aasebø, T. Wilsgaard, and H. Melbye, “Low oxygen saturation and mortality in an adult cohort: The Tromsø study,” *BMC Pulm. Med.*, vol. 15, no. 1, p. 9, Feb. 2015, doi: 10.1186/s12890-015-0003-5.
- [10] S. Shah *et al.*, “Novel Use of Home Pulse Oximetry Monitoring in COVID-19 Patients Discharged From the Emergency Department Identifies Need for Hospitalization,” *Acad. Emerg. Med.*, vol. 27, no. 8, pp. 681–692, 2020, doi: 10.1111/acem.14053.
- [11] J. Su *et al.*, “Real-time Fusion of ECG and SpO_2 Signals to Reduce False Alarms,” in *Computing in Cardiology*, 2018, vol. 2018-Septe, pp. 1–4. doi: 10.22489/CinC.2018.163.
- [12] A. Sola *et al.*, “Safe oxygen saturation targeting and monitoring in preterm infants: Can we avoid hypoxia and hyperoxia?,” *Acta Paediatrica, International Journal of Paediatrics*, vol. 103, no.

10. pp. 1009–1018, 2014. doi: 10.1111/apa.12692.
- [13] P. H. England, “COVID-19 vaccination programme Information for healthcare practitioners About Public Health England,” no. 31st December, pp. 1–40, 2020.
 - [14] Trie Maya Kadarina and R. Priambodo, “Performance Evaluation of IoT-based SpO₂ Monitoring Systems for COVID-19 Patients,” *J. Electron. Electromed. Eng. Med. Informatics*, vol. 3, no. 2, pp. 64–71, 2021, doi: 10.35882/jeeemi.v3i2.1.
 - [15] S. Luthfiyah, E. R. Ramadhani, T. B. Indrato, A. Wongjan, and K. O. Lawal, “Vital Signs Monitoring Device with BPM and SpO₂ Notification Using Telegram Application Based on Thinger.io Platform,” *Indones. J. Electron. Electromed. Eng. Med. Informatics*, vol. 4, no. 1, pp. 1–7, 2022, doi: 10.35882/ijeeemi.v4i1.1.
 - [16] G. Sidhartha, “IoT Based Pulse Oximeter,” *Int. J. Res. Appl. Sci. Eng. Technol.*, vol. 9, no. 8, pp. 2946–2951, 2021, doi: 10.22214/ijraset.2021.37782.
 - [17] S. A. agus sukarno, Arief Marwanto, “Vital Sign Monitoring in ICU Patients Based on MEWS (Modified Early Warning Score) with IOT (Internet of Things),” *J. Telemat. Informatics*, vol. 7, no. 4, pp. 205–213, 2020.
 - [18] O. Y. Tham, M. A. Markom, A. H. A. Bakar, E. S. M. M. Tan, and A. M. Markom, “IoT Health Monitoring Device of Oxygen Saturation (SpO₂)

- and Heart Rate Level,” in *Proceeding - 1st International Conference on Information Technology, Advanced Mechanical and Electrical Engineering, ICITAMEE 2020*, 2020, pp. 128–133. doi: 10.1109/ICITAMEE50454.2020.9398455.
- [19] F. T. Industrj, “Alat pengukur oksigen saturasi dala dengan metode ‘non-invasive’ darah,” 1994.
- [20] G. R. Graham, “Textbook of Human Physiology,” *Bmj*, vol. 1, no. 5277, pp. 531–532, 1962, doi: 10.1136/bmj.1.5277.531-b.
- [21] A. S. Utomo, E. H. P. Negoro, and M. Sofie, “Monitoring Heart Rate Dan Saturasi Oksigen Melalui Smartphone,” *J. Tek. Mesin, Elektro dan Ilmu Komput.*, vol. 10, no. 1, pp. 319–324, 2019, doi: 10.24176/simet.v10i1.3024.
- [22] Muhdi, Abdullah, and Usman, “Sistem Klasifikasi Penyakit Asma Menggunakan Algoritma Naive Bayes (Studi Kasus : Puskesmas Sungai Salak),” *J. Sist.*, vol. 6, no. September, pp. 34–39, 2017.
- [23] A. Putot, F. Chague, P. Manckoundia, Y. Cottin, and M. Zeller, “Post-Infectious Myocardial Infarction: New Insights for Improved Screening,” *J. Clin. Med.*, vol. 8, no. 6, p. 827, 2019, doi: 10.3390/jcm8060827.
- [24] W. Koishi, M. Kumagai, S. Ogawa, S. Hongo, and K. Suzuki, “Monitoring the Oxygen Reserve Index can contribute to the early detection of deterioration in blood oxygenation during one-lung ventilation,” *Minerva Anestesiol.*, vol. 84, no.

9, pp. 1063–1069, 2018, doi: 10.23736/S0375-9393.18.12622-8.

- [25] L. Umar, I. Firmansyah, and R. N. Setiadi, “Design of Pulse Oximetry Based on Photoplethysmography and Beat Rate Signal Using DS-100 Probe Sensor for SpO₂ Measurement,” in *ISSIMM 2018 - 3rd International Seminar on Sensors, Instrumentation, Measurement and Metrology, Proceeding*, 2018, vol. 0, no. 2, pp. 44–47. doi: 10.1109/ISSIMM.2018.8727725.
- [26] D. Mishra, N. Priyadarshini, S. Chakraborty, and M. Sarkar, “Blood oxygen saturation measurement using polarization-dependent optical sectioning,” *IEEE Sens. J.*, vol. 17, no. 12, pp. 3900–3908, 2017, doi: 10.1109/JSEN.2017.2698520.
- [27] D. R. Tisna, M. U. H. Al Rasyid, and S. Sukaridhoto, “Implementation of Oxymetry Sensors for Cardiovascular Load Monitoring When Physical Exercise,” *Emit. Int. J. Eng. Technol.*, vol. 8, no. 1, pp. 178–199, 2020, doi: 10.24003/emitter.v8i1.482.
- [28] C.-H. Huang and J.-W. Guo, “Design of Reflectance Pulse Oximeter and BPM using the Max30100 Sensor in Early Detection of Hypoxemia in Patients with Cardiovascular Disorders,” *Int. J. Adv. Heal. Sci. Technol.*, vol. 1, no. 1, pp. 1–6, 2021, doi: 10.35882/ijahst.v1i1.1.
- [29] D. B. S. Budi, R. Maulana, and H. Fitriyah, “Sistem Deteksi Gejala Hipoksia Berdasarkan Saturasi Oksigen Dengan Detak Jantung

Menggunakan Metode Fuzzy Berbasis Arduino,” *J. Pengemb. Teknol. Inf. dan Ilmu Komputer.*, vol. 3, no. 2, pp. 1925–1933, 2019.

- [30] F. UGHI, “Proof-of-Concept Simulasi Kadar Saturasi Oksigen untuk Evaluasi Pulse Oximeter,” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 6, no. 1, p. 110, 2018, doi: 10.26760/elkomika.v6i1.110.
- [31] Y. C. Features, “WW Oximeter . TW Heart-Rate Sensor IC Pulse W for Wearable Health MAX30100 Pulse Oximeter and”.
- [32] Maxim Integrated, “Pulse Oximeter and Heart-Rate Sensor IC for Wearable Health,” *Lect. Notes Energy*, vol. 38, pp. 1–29, 2014.
- [33] G. H. Prabowo, M. R. Mak’ruf, S. Sumber, L. Soetjiati, and B. Utomo, “Perancangan Stetoskop Elektronik Portable,” *J. Teknokes*, vol. 12, no. 1, pp. 39–44, 2019, doi: 10.35882/teknokes.v12i1.7.
- [34] A. Sula, A. Michael, and J. Rusman, “Analisis Quality Of Service Pada Jaringan Internet Kampus 2 Universitas Kristen Indonesia Toraja,” *Infinity*, vol. 1, no. 2, 2022, doi: 10.47178/infinity.v1i2.1517.
- [35] R. Wulandari, “Analisis QoS (Quality of Service) Pada Jaringan Internet,” *J. Tek. Inform. dan Sist. Inf.*, vol. 2, no. 2, pp. 162–172, 2016.
- [36] N. Saidah, Dewa I Wisana et al, “SpO₂ Monitoring Via HTML,” 2023.