

DAFTAR PUSTAKA

- Akbari, M. and Hassan-Zadeh, V. (2018), “IL-6 signalling pathways and the development of type 2 diabetes”, *Inflammopharmacology*, Springer International Publishing, Vol. 26 No. 3, pp. 685–698, doi: 10.1007/s10787-018-0458-0.
- Aliheydari, E., Mohammad Amoli, M. and Yazdan Panah, E. (2022), “Alteration of IL-6 Gene Expression in Patients with Type 2 Diabetes and Depression”, *Jentashapir Journal of Cellular and Molecular Biology*, Vol. 13 No. 1, pp. 1–5, doi: 10.5812/jjcmb-115352.
- Anis, C., Sekeon, S.A.S. and Kandou, G. (2017), “Hubungan antara diabetes melitus (hiperglikemia) dengan kualitas hidup pada lansia di Kelurahan Kolongan Kecamatan Tomohon Tengah Kota Tomohon”, *Jurnal Kesehatan Masyarakat Universitas Sam Ratulangi*, Vol. 6 No. 3, pp. 1–8.
- Chentli, F., Azzoug, S. and Mahgoun, S. (2015), “Diabetes mellitus in elderly”, *Indian Journal of Endocrinology and Metabolism*, Vol. 19 No. 6, pp. 744–752, doi: 10.4103/2230-8210.167553.
- Danu Atmaja, R.F., Orno, T.G., Yuniarty, T. and Malik, H. (2023), “Correlation Analysis of Interleukin-6 on Blood Glucose in Prediabetes and Normal Glycemic Status”, *Medical Laboratory Technology Journal*, Vol. 9 No. 1, pp. 1–10, doi: 10.31964/mltj.v8i2.496.
- Decroli, E., Nagara Guptaja Kusumah and Alexander, K. (2022), “Mekanisme Molekuler dari Resistensi Insulin pada Diabetes Melitus Tipe Dua”, *Majalah Kedokteran Andalas*, Vol. 45 No. 4, pp. 610–618.
- Decroli, E.V.A., Manaf, A., Syahbuddin, S., Waspadji, S. and Dillasamola, D. (2018), “The role of survivin and raf-1 kinase against enhancement of pancreatic beta-cell apoptosis in patients with type 2 diabetes mellitus”, *Asian Journal of Pharmaceutical and Clinical Research*, Vol. 11 No. 11, pp. 344–347, doi: 10.22159/ajpcr.2018.v11i11.27671.
- Didion, S.P. (2017), “Cellular and oxidative mechanisms associated with interleukin-6 signaling in the vasculature”, *International Journal of Molecular Sciences*, Vol. 18 No. 12, doi: 10.3390/ijms18122563.

- Erfin, M., Nur Riviaty, Nova Kurniati, Erial Bahar, Erwin Sukandi and Sudarto. (2021), “Correlation of Serum IL-6 Levels with Muscle Mass, Muscle Strength, and Physical Performance in Elderly Gymnastics Community in Mohammad Hoesin General Hospital Palembang”, *Bioscientia Medicina : Journal of Biomedicine and Translational Research*, Vol. 5 No. 9, pp. 862–870, doi: 10.32539/bsm.v5i9.351.
- Guarnotta, V., Bianco, M.J., Vigneri, E., Panto’, F., Lo Sasso, B., Ciaccio, M., Pizzolanti, G., *et al.* (2021), “Effects of GLP-1 receptor agonists on myokine levels and pro-inflammatory cytokines in patients with type 2 diabetes mellitus”, *Nutrition, Metabolism and Cardiovascular Diseases*, Elsevier B.V, Vol. 31 No. 11, pp. 3193–3201, doi: 10.1016/j.numecd.2021.07.015.
- Harder-Lauridsen, N.M., Krogh-Madsen, R., Holst, J.J., Plomgaard, P., Leick, L., Pedersen, B.K. and Fischer, C.P. (2014), “Effect of IL-6 on the insulin sensitivity in patients with type 2 diabetes”, *American Journal of Physiology - Endocrinology and Metabolism*, Vol. 306 No. 7, pp. 769–778, doi: 10.1152/ajpendo.00571.2013.
- Hasanah, U. (2013), “Insulin Sebagai Pengatur kadar Gula Darah”, *Jurnal Keluarga Sehat Sejahtera*, Vol. 11 No. 22, pp. 42–49.
- Hilda, Harlita, T.D. and Anggrieni, N. (2017), “Kesesuaian hasil pemeriksaan glukosa darah metode stik dengan metode God Pap”, *Jurnal Kesehatan*, Vol. 3, pp. 1–10.
- International Diabetes Federation. (2019), *International Diabetes Federation, The Lancet*, Vol. 266, doi: 10.1016/S0140-6736(55)92135-8.
- International Diabetes Federation. (2021), “No Title”.
- Kementerian Kesehatan Indonesia. (2020), “Yuk, mengenal apa itu penyakit Diabetes Melitus (DM)”, available at: <https://p2ptm.kemkes.go.id/infographic-p2ptm/penyakit-diabetes-melitus/yuk-mengenal-apa-itu-penyakit-diabetes-melitus-dm> (accessed 11 September 2024).
- Kementrian Kesehatan. (2018), “No Title”.
- Kim, T.H., Choi, S.E., Ha, E.S., Jung, J.G., Han, S.J., Kim, H.J., Kim, D.J., *et al.* (2013), “IL-6 induction of TLR-4 gene expression via STAT3 has an effect on

- insulin resistance in human skeletal muscle”, *Acta Diabetologica*, Vol. 50 No. 2, pp. 189–200, doi: 10.1007/s00592-011-0259-z.
- Koshino, A., Schechter, M., Sen, T., Vart, P., Neuen, B.L., Neal, B., Arnott, C., *et al.* (2022), “Interleukin-6 and Cardiovascular and Kidney Outcomes in Patients With Type 2 Diabetes: New Insights From CANVAS”, *Diabetes Care*, Vol. 45 No. 11, pp. 2644–2652, doi: 10.2337/dc22-0866.
- Kurauti, M.A., Costa, J.M., Ferreira, S.M., Santos, G.J., Sponton, C.H.G., Carneiro, E.M., Telles, G.D., *et al.* (2017), “Interleukin-6 increases the expression and activity of insulin-degrading enzyme”, *Scientific Reports*, Vol. 7 No. December 2016, pp. 1–12, doi: 10.1038/srep46750.
- Kurniawan, A.E. and Fatmariza, A.R. (2024), “PERBEDAAN KADAR INTERLEUKIN-6 PADA PENDERITA DIABETES MELITUS TIPE 2 TERKONTROL DAN TIDAK”, *Jurnal Kesehatan*, Vol. 2 No. 4, pp. 242–248.
- Kusumaningrum, W. (2014), “Peran Interleukin 6 dalam Menentukan Keluaran Modified Rankin Scale pada Sirkulasi Parsial Anterior Stroke Iskemik Akut”, *Jakarta: Universitas Indonesia*.
- L Sarvas, J. (2013), “The IL-6 Paradox: Context Dependent Interplay of SOCS3 and AMPK”, *Journal of Diabetes & Metabolism*, Vol. 01 No. S13, pp. 1–18, doi: 10.4172/2155-6156.s13-003.
- Laishram, V., Lamabam, C., Laikangbam, S., Dubey, A., Longkumer, C., Sharma, S., Debnath, S., *et al.* (2016), “Interleukin-6 in obese type II diabetes with hypertension”, *International Journal of Research in Medical Sciences*, Vol. 4 No. 3, pp. 896–901, doi: 10.18203/2320-6012.ijrms20160539.
- Lehrskov, L.L. and Christensen, R.H. (2019), “The role of interleukin-6 in glucose homeostasis and lipid metabolism”, *Seminars in Immunopathology*, *Seminars in Immunopathology*, Vol. 41 No. 4, pp. 491–499, doi: 10.1007/s00281-019-00747-2.
- Li, X., Qiu, W., Li, N., Da, X., Ma, Q., Hou, Y., Wang, T., *et al.* (2020), “Susceptibility to Hyperglycemia in Rats With Stress-Induced Depressive-Like Behavior: Involvement of IL-6 Mediated Glucose Homeostasis Signaling”, *Frontiers in Psychiatry*, Vol. 11 No. June, pp. 1–13, doi:

10.3389/fpsyt.2020.00557.

- Long, M. hui, Zhang, C., Xu, D. qun, Fu, W. liang, Gan, X. dong, Li, F., Wang, Q., *et al.* (2020), “PM2.5 aggravates diabetes via the systemically activated IL-6-mediated STAT3/SOCS3 pathway in rats’ liver”, *Environmental Pollution*, Elsevier Ltd, Vol. 256, p. 113342, doi: 10.1016/j.envpol.2019.113342.
- Midha, T. (2015), “Correlation between hypertension and hyperglycemia among young adults in India”, *World Journal of Clinical Cases*, Vol. 3 No. 2, p. 171, doi: 10.12998/wjcc.v3.i2.171.
- Milita, F., Handayani, S. and Setiaji, B. (2021), “Kejadian Diabetes Mellitus Tipe II pada Lanjut Usia di Indonesia (Analisis Riskesdas 2018)”, *Jurnal Kedokteran Dan Kesehatan*, Vol. 17 No. 1, p. 9, doi: 10.24853/jkk.17.1.9-20.
- Nedosugova, L. V., Markina, Y. V., Bochkareva, L.A., Kuzina, I.A., Petunina, N.A., Yudina, I.Y. and Kirichenko, T. V. (2022), “Inflammatory Mechanisms of Diabetes and Its Vascular Complications”, *Biomedicines*, Vol. 10 No. 5, pp. 1–19, doi: 10.3390/biomedicines10051168.
- Ningsih, R. (2015), “Kinetika Hidrolisis Selulosa Menjadi Glukosa oleh Jamur *Aspergillus niger* dengan Metode Solid State Fermentation”, Universitas Gadjah Mada.
- Nisr, R.B., Shah, D.S., Ganley, I.G. and Hundal, H.S. (2019), “Proinflammatory NFkB signalling promotes mitochondrial dysfunction in skeletal muscle in response to cellular fuel overloading”, *Cellular and Molecular Life Sciences*, Springer International Publishing, Vol. 76 No. 24, pp. 4887–4904, doi: 10.1007/s00018-019-03148-8.
- PERKENI. (2021), “Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021”, *PB PERKENI*, PB PERKENI, p. 26.
- Permana, D.R., Athallah, N. and Jansen, G. (2023), “The Relationship of Risk Factors to the Incidence of Hypertension in Pre-Elderly and Elderly (Study in Ternate City)”, *Journal of The Community Development in Asia*, Vol. 6 No. 2, pp. 1–18, doi: 10.32535/jcda.v6i2.2324.
- Pudiastuti, R.D. (2013), “Penyakit-penyakit mematikan”, *Yogyakarta: Nuha Medika*.
- Purwandari, C.A.A., Wirjatmadi, B. and Mahmudiono, T. (2022), “Faktor Risiko

- Terjadinya Komplikasi Kronis Diabetes Melitus Tipe 2 pada Pra Lansia”, *Amerta Nutrition*, Vol. 6 No. 3, pp. 262–271, doi: 10.20473/amnt.v6i3.2022.262-271.
- Puspa, K.N.F. (2022), *Hubungan Antara Kualitas Hidup Dengan Kejadian Komplikasi Pada Penderita Diabetes Mellitus Tipe II, Universitas Dr. SOEBANDI*.
- Rehman, K., Akash, M.S.H., Liaqat, A., Kamal, S., Qadir, M.I. and Rasul, A. (2017), “Role of interleukin-6 in development of insulin resistance and type 2 diabetes mellitus”, *Critical Reviews in Eukaryotic Gene Expression*, Vol. 27 No. 3, pp. 229–236, doi: 10.1615/CritRevEukaryotGeneExpr.2017019712.
- Restada, E.. (2016), “Hubungan lama menderita dan komplikasi diabetes melitus dengan kualitas hidup pada penderita diabetes melitus di wilayah Puskesmas Gatak Sukoharjo.”
- Rizaldy Pinzon, L.A. (2019), “Awas stroke!: pengertian, gejala tindakan, perawatan dan pencegahan”, *Ilmu Keperawatan*.
- Rose-John, S. (2020), “Interleukin-6 signalling in health and disease”, *F1000Research*, Vol. 9, pp. 1–9, doi: 10.12688/f1000research.26058.1.
- von Scholten, B.J., Persson, F., Rosenlund, S., Eugen-Olsen, J., Pielak, T., Faber, J., Hansen, T.W., *et al.* (2017), “Effects of liraglutide on cardiovascular risk biomarkers in patients with type 2 diabetes and albuminuria: a sub-analysis of a randomized, placebo-controlled, double-blind, crossover trial”, *Diabetes, Obesity and Metabolism*, Wiley Online Library, Vol. 19 No. 6, pp. 901–905.
- Simanjuntak, G.V. and Simamora, M. (2020), “Lama menderita diabetes mellitus tipe 2 sebagai faktor risiko neuropati perifer diabetik”, *Holistik Jurnal Kesehatan*, Vol. 14 No. 1, pp. 96–100, doi: 10.33024/hjk.v14i1.1810.
- Sipayung, R., Siregar, F.A. and Nurmaini. (2018), “Hubungan Aktivitas Fisik dengan Kejadian Diabetes Melitus Tipe 2 pada Perempuan Usia Lanjut di Wilayah Kerja Puskesmas Padang Bulan Medan Tahun 2017”, *Jurnal Muara Sains, Teknologi, Kedokteran, Dan Ilmu Kesehatan*, Vol. 2 No. 1, pp. 78–86.
- Smara, F. (2016), “Perbedaan Kadar Glukosa Serum Darah Beku 1 Jam, 2 Jam, dan 3 Jam”, *Universitas Muhammadiyah Semarang, Semarang*.
- Spindler, M.P., Ho, A.M., Tridgell, D., McCulloch-Olson, M., Gersuk, V., Ni, C.,

- Greenbaum, C., *et al.* (2016), “Acute hyperglycemia impairs IL-6 expression in humans”, *Immunity, Inflammation and Disease*, Vol. 4 No. 1, pp. 91–97, doi: 10.1002/iid3.97.
- Subiyono, Martsiningsih, M.A. and Gabrela, D. (2016), “Gambaran kadar glukosa darah metode GOD-PAP (Glucose Oksidase – Peroxidase Aminoantypirin) sampel serum dan plasma EDTA (Ethylen Diamin Terta Acetat)”, *Jurnal Teknologi Laboratorium*, Vol. 5 No. 1, pp. 45–48.
- Suwarny, Titi Purnama and Helmawati Pasomba. (2023), “Identifikasi Interleukin-6 Pada Pasien Diabetes Melitus (Dm) Tipe II”, *Jurnal MediLab Mandala Waluya*, Vol. 7 No. 1.
- Tanase, D.M., Gosav, E.M., Radu, S., Ouatu, A., Rezus, C., Ciocoiu, M., Costea, C.F., *et al.* (2019), “Arterial Hypertension and Interleukins: Potential Therapeutic Target or Future Diagnostic Marker?”, *International Journal of Hypertension*, Hindawi, Vol. 2019, doi: 10.1155/2019/3159283.
- Tandra, H. (2014), *Strategi Mengalahkan Komplikasi Diabetes Dari Kepala Sampai Kaki*, Gramedia Pustaka Utama.
- Tiurma, R.J. and Syahrizal. (2021), “Obesitas Sentral dengan Kejadian Hiperglikemia pada Pegawai Satuan Kerja Perangkat Daerah”, *Higeia Journal of Public Health Research and Development*, Vol. 5 No. 3, pp. 227–238.
- Todingan, M., Muhiddin, R. and Kurniawan, L.B. (2023), “IL-6 Levels Analysis Controlled in Type 2 Diabetes Mellitus Patients and Uncontrolled”, *Indonesian Journal of Clinical Pathology and Medical Laboratory*, Vol. 29 No. 2, pp. 175–179, doi: 10.24293/ijcpml.v29i2.1972.
- Valliyot, B., Sreedharan, J., Muttappallymyalil, J. and Balakrishnan Valliyot, S. (2013), “Risk factors of type 2 diabetes mellitus in the rural population of North Kerala, India: A case control study”, *Diabetologia Croatica*, Vol. 42 No. 1, pp. 33–40.
- Villar-Fincheira, P., Sanhueza-Olivares, F., Norambuena-Soto, I., Cancino-Arenas, N., Hernandez-Vargas, F., Troncoso, R., Gabrielli, L., *et al.* (2021), “Role of Interleukin-6 in Vascular Health and Disease”, *Frontiers in Molecular Biosciences*, Vol. 8 No. March, pp. 1–11, doi: 10.3389/fmolb.2021.641734.
- Wajcberg, E. and Amarah, A. (2010), “Liraglutide in the management of type 2

diabetes.”, *Drug Design, Development and Therapy*, New Zealand, Vol. 4, pp. 279–290, doi: 10.2147/DDDT.S10180.

Wiryana, M., Suastika, K., Bagianto, H. and Bakta, M. (2010), “THE ROLE OF INTENSIVE INSULIN THERAPY ON SUPEROXIDE DISMUTASE (SOD), TUMOR NECROSIS FACTOR- α (TNF- α), AND INTERLEUKIN-6 (IL-6) ON HYPERGLYCEMIA IN CRITICALLY ILL PATIENTS”, *INDONESIAN JOURNAL OF BIOMEDICAL SCIENCES; Vol. 4, No. 1 Januari 2010*.

World Health Organization. (2018), “No Title”, available at: <https://www.who.int/news-room/facts-in-pictures/detail/nutrition> (accessed 10 May 2024).

Yasa, I.W.P.S., Wandu, I. nyoman, Susila, N.K.N., Budhiastra, P., Pemayun, C.I.D. and Herawati, S. (2014), “Kadar IL-6 Plasma Pasien Diabetes Melitus Dengan Dan Tanpa Pengidap Retinopati Diabetika”, *Indonesian Journal Ofclinical Pathology and Medical Laboratory*, Vol. 21, pp. 1–4.

Yuniarti, E., Syamsurizal, S., Ahda, Y. and Sonata, P.D. (2018), “Correlation of Fasting Blood Glucose With IL-6 Levels in Type-2 Diabetes Mellitus Ethnic Minangkabau”, *Bioscience*, Vol. 2 No. 1, p. 11, doi: 10.24036/02018219858-0-00.