

## DAFTAR PUSTAKA

- [1] P. H. Pretorius, M. A. King, K. L. Johnson, Y. Yang, dan M. N. Wernick, "Evaluating the effect of incremental dose reduction on perfusion defect detection employing hybrid cardiac perfusion SPECT slices," *2015 IEEE Nucl. Sci. Symp. Med. Imaging Conf. NSS/MIC 2015*, hal. 6–9, 2016, doi: 10.1109/NSSMIC.2015.7582069.
- [2] M. P. Lukman dan H. Surasa, "Portable Monitoring Penderita Penyakit Jantung Terhadap Serangan Berulang Berbasis Android," *Semin. Nas. Teknol. Inf.*, hal. 20–26, 2017.
- [3] M. İ. Hayıroğlu *et al.*, "A simple formula to predict echocardiographic diastolic dysfunction—electrocardiographic diastolic index," *Herz*, vol. 46, no. May, hal. 159–165, 2021, doi: 10.1007/s00059-020-04972-6.
- [4] E. L. Potter, C. H. M. Rodrigues, D. B. Ascher, W. P. Abhayaratna, P. P. Sengupta, dan T. H. Marwick, "Machine Learning of ECG Waveforms to Improve Selection for Testing for Asymptomatic Left Ventricular Dysfunction," *JACC Cardiovasc. Imaging*, vol. 14, no. 10, hal. 1904–1915, 2021, doi: 10.1016/j.jcmg.2021.04.020.
- [5] J. M. Krepp, F. Lin, J. K. Min, R. B. Devereux, dan P. M. Okin, "Relationship of Electrocardiographic Left Ventricular Hypertrophy to the Presence of Diastolic Dysfunction," *Ann. Noninvasive Electrocardiol.*, vol. 19, no. 6, hal. 552–560, 2014,

doi: 10.1111/anec.12166.

- [6] V. Octaviani, “Klasifikasi Detak Jantung Normal Dan Abnormal Berbasis Sinyal Ekg Menggunakan Metode Backpropagation,” hal. 143, 2017.
- [7] Aulia dan Sukanto, “Deteksi Dini Aritmia Jantung Melalui Denyut Nadi Menggunakan Algoritma Grammatical Evolution,” *Sent. 2017 Semin. Nas. Tek. Elektro*, hal. 289–297, 2017, [Daring]. Tersedia pada: <https://senter.ee.uinsgd.ac.id/repositori/index.php/prosiding/article/view/senter2017p32/32%0Ahttp://senter.ee.uinsgd.ac.id/repositori/index.php/prosiding/article/view/senter2017p32>
- [8] B. W. Putra, R. Fadly Isnanto, dan P. Sari, “Deteksi Arritmia pada Sinyal EKG dengan Deep Neural Network,” *Pros. Semin. Nas. Sains dan Teknol. Terap.*, vol. 3, no. 1, hal. 223–230, 2020.
- [9] N. Estananto, “Klasifikasi Sinyal Elektrokardiogram Menggunakan Renyi Entropy,” *J. Elektro dan Mesin Terap.*, vol. 4, no. 2, hal. 11–18, 2018, doi: 10.35143/elementer.v4i2.2139.
- [10] M. Rifali dan D. Irmawati, “Sistem Cerdas Deteksi Sinyal Elektrokardiogram (EKG) untuk Klasifikasi Jantung Normal dan Abnormal Menggunakan Jaringan Syaraf Tiruan (JST),” *Elinvo (Electronics, Informatics, Vocat. Educ.*, vol. 4, no. 1, hal. 49–55, 2019, doi: 10.21831/elinvo.v4i1.28242.
- [11] D. Mulyadi dan S. Nuryadi, “Sistem Deteksi Dini Kelainan Jantung Manusia Menggunakan

Elektrokardiograf,” 2018, [Daring]. Tersedia pada:  
[http://eprints.uty.ac.id/2378/%0Ahttp://eprints.uty.ac.id/2378/1/NASKAH\\_PUBLIKASI.pdf](http://eprints.uty.ac.id/2378/%0Ahttp://eprints.uty.ac.id/2378/1/NASKAH_PUBLIKASI.pdf)

- [12] J. R. Annam dan B. R. Surampudi, “Inter-patient heart-beat classification using complete ECG beat time series by alignment of R-peaks using SVM and decision rule,” *2016 Int. Conf. Signal Inf. Process. IConSIP 2016*, 2017, doi: 10.1109/ICONSIP.2016.7857480.
- [13] G. Surrel, F. Rincón, S. Murali, dan D. Atienza, “Real-time probabilistic heart beat classification and correction for embedded systems,” *Comput. Cardiol. (2010)*, vol. 42, hal. 161–164, 2015, doi: 10.1109/CIC.2015.7408611.
- [14] H. H. Satoto, “Patofisiologi Penyakit Jantung Koroner,” *JAI (Jurnal Anesthesiol. Indones.)*, vol. 6, no. 3, hal. 209–224, 2014, doi: 10.14710/jai.v6i3.9127.
- [15] Santoso M dan Setiawan T, “Artikel penyakit jantung koroner,” *Cermin Dunia Kedokt.*, no. 147, hal. 5–9, 2005, [Daring]. Tersedia pada: [https://www.itokindo.org/download/kesehatan/stroke,\\_jantung,\\_hypertensi,\\_kolesterol/Penyakit\\_Jantung\\_Koroner\\_-\\_CDK\\_Kalbe.pdf](https://www.itokindo.org/download/kesehatan/stroke,_jantung,_hypertensi,_kolesterol/Penyakit_Jantung_Koroner_-_CDK_Kalbe.pdf)
- [16] E. Ghafoori, N. Angel, D. J. Dossall, R. S. MacLeod, dan R. Ranjan, “Atrial fibrillation observed on surface ECG can be atrial flutter or atrial tachycardia,” *J. Electrocardiol.*, vol. 51, no. 6, hal. S67–S71, 2018, doi: 10.1016/j.jelectrocard.2018.07.010.

- [17] J. Lee, D. D. McManus, P. Bourrell, L. Sörnmo, dan K. H. Chon, "Atrial flutter and atrial tachycardia detection using Bayesian approach with high resolution time-frequency spectrum from ECG recordings," *Biomed. Signal Process. Control*, vol. 8, no. 6, hal. 992–999, 2013, doi: 10.1016/j.bspc.2013.04.002.
- [18] C. Buttà, A. Tuttolomondo, L. Giarrusso, dan A. Pinto, "Electrocardiographic Diagnosis of Atrial Tachycardia: Classification, P-Wave Morphology, and Differential Diagnosis with Other Supraventricular Tachycardias," *Ann. Noninvasive Electrocardiol.*, vol. 20, no. 4, hal. 314–327, 2015, doi: 10.1111/anec.12246.
- [19] M. Volkmer, M. Antz, J. Hebe, dan K. H. Kuck, "Focal atrial tachycardia originating from the musculature of the coronary sinus," *J. Cardiovasc. Electrophysiol.*, vol. 13, no. 1, hal. 68–71, 2002, doi: 10.1046/j.1540-8167.2002.00068.x.
- [20] A. L. Waldo *et al.*, "Transient entrainment and interruption of the atrioventricular bypass pathway type of paroxysmal atrial tachycardia. A model for understanding and identifying reentrant arrhythmias," *Circulation*, vol. 67, no. 1, hal. 73–83, 1983, doi: 10.1161/01.CIR.67.1.73.
- [21] O. Perlman, A. Katz, G. Amit, dan Y. Zigel, "Supraventricular Tachycardia Classification in the 12-Lead ECG Using Atrial Waves Detection and a Clinically Based Tree Scheme," *IEEE J. Biomed. Heal. Informatics*, vol. 20, no. 6, hal. 1513–1520, 2016, doi: 10.1109/JBHI.2015.2478076.

- [22] K. C. Roberts-Thomson, P. M. Kistler, dan J. M. Kalman, "Focal atrial tachycardia I: Clinical features, diagnosis, mechanisms, and anatomic location," *PACE - Pacing Clin. Electrophysiol.*, vol. 29, no. 6, hal. 643–652, 2006, doi: 10.1111/j.1540-8159.2006.00413.x.
- [23] A. M. Poutiainen, J. Hartikainen, R. Ketluuen, J. Karjalainen, dan H. V. Huikuri, "Prevalence and natural course of ectopic atrial tachycardia," *Scand. Cardiovasc. Journal, Suppl.*, vol. 31, no. 45, hal. 14, 1997.
- [24] N. Kuznetsova *et al.*, "Left Ventricular Diastolic Dysfunction Screening by a Smartphone-Case Based on Single Lead ECG," *Clin. Med. Insights Cardiol.*, vol. 16, 2022, doi: 10.1177/11795468221120088.
- [25] K. H. Shakthi Murugan, T. J. Sriram, P. M. Jerold, A. S. A. Peeran, dan P. Abisheik, "Wearable ECG Electrodes for Detection of Heart Rate and Arrhythmia Classification," *Proc. 2019 3rd IEEE Int. Conf. Electr. Comput. Commun. Technol. ICECCT 2019*, hal. 1–6, 2019, doi: 10.1109/ICECCT.2019.8869143.
- [26] U. Boles, I. Almontaser, A. Brown, R. R. T. Murphy, A. Mahmud, dan J. Feely, "Ventricular activation time as a marker for diastolic dysfunction in early hypertension," *Am. J. Hypertens.*, vol. 23, no. 7, hal. 781–785, 2010, doi: 10.1038/ajh.2010.58.
- [27] R. S. Papers, P. Kanani, dan M. Padole,

*Recognizing Real Time ECG Anomalies Using Arduino , AD8232 and Java : Second International Conference , ICACDS 2018 , Dehradun , India , April 20-21 , Recognizing Real Time ECG Anomalies*, no. April. Springer Singapore, 2018. doi: 10.1007/978-981-13-1810-8.

- [28] P. Kanani\* dan D. M. Padole, “IoT based Eye Movement Guided Wheelchair driving control using AD8232 ECG Sensor,” *Int. J. Recent Technol. Eng.*, vol. 8, no. 4, hal. 5013–5017, 2019, doi: 10.35940/ijrte.d8182.118419.
- [29] S. J. Sokop, D. J. Mamahit, dan S. R. U. . Sompie, “Trainer Periferal Antarmuka Berbasis Mikrokontroler Arduino Uno,” *J. Tek. Elektro dan Komput.*, vol. 5, no. 3, hal. 13–23, 2016.
- [30] S. Samsugi, Z. Mardiyansyah, dan A. Nurkholis, “Sistem Pengontrol Irigasi Otomatis Menggunakan Mikrokontroler Arduino Uno,” *J. Teknol. dan Sist. Tertanam*, vol. 1, no. 1, hal. 17, 2020, doi: 10.33365/jtst.v1i1.719.
- [31] A. Karavokyris dan E. Alepis, “Software measures for common design patterns using visual studio code metrics,” *2018 9th Int. Conf. Information, Intell. Syst. Appl. IISA 2018*, hal. 1–7, 2018, doi: 10.1109/IISA.2018.8633694.
- [32] K. Legoh dan Chingmuankim, “Speaker Independent Speech Recognition System for Paite Language using C# and SQL database in Visual Studio,” *Proc. 2nd Int. Conf. Innov. Electron. Signal Process. Commun. IESC 2019*, hal. 34–38,

2019, doi: 10.1109/IESPC.2019.8902365.

- [33] F. Sudana Putra, Kusrini, dan M. P. Kurniawan, “Deteksi Otomatis Jerawat Wajah Menggunakan Metode Convolutional Neural Network (CNN),” *J. Inf. Technol.*, vol. 1, no. 2, hal. 30–34, 2021, doi: 10.46229/jifotech.v1i2.308.
- [34] N. Fadlia dan R. Kosasih, “Klasifikasi Jenis Kendaraan Menggunakan Metode Convolutional Neural Network (Cnn),” *J. Ilm. Teknol. dan Rekayasa*, vol. 24, no. 3, hal. 207–215, 2019, doi: 10.35760/tr.2019.v24i3.2397.
- [35] R. Indraswari, W. Herulambang, dan R. Rokhana, “Deteksi Penyakit Mata Pada Citra Fundus Menggunakan Convolutional Neural Network (CNN),” *Techno.Com*, vol. 21, no. 2, hal. 378–389, 2022, doi: 10.33633/tc.v21i2.6162.
- [36] A. Kurniadi, “Implementasi Convolutional Neural Network Untuk Klasifikasi Varietas Pada Citra Daun Sawi Menggunakan Keras,” *DoubleClick J. Comput. Inf. Technol.*, vol. 4, no. 1, hal. 25, 2020, doi: 10.25273/doubleclick.v4i1.5812.
- [37] A. Rohim, Y. A. Sari, dan Tibyani, “Convolution Neural Network (CNN) Untuk Pengklasifikasian Citra Makanan Tradisional,” *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 3, no. 7, hal. 7038–7042, 2019.
- [38] Y. Chen dan Z. Chen, “Preventive Measures of Influencing Factors of Computer Network Security Technology,” *2021 IEEE Int. Conf. Artif. Intell.*

*Comput. Appl. ICAICA 2021*, hal. 1187–1191, 2021, doi: 10.1109/ICAICA52286.2021.9498242.

- [39] L. Liu, “Discussion and practice of computer network information and network security protection strategy,” *Proc. - 2020 5th Int. Conf. Mech. Control Comput. Eng. ICMCCE 2020*, hal. 1810–1813, 2020, doi: 10.1109/ICMCCE51767.2020.00397.
- [40] F. Wang dan G. Sun, “Research on the Metaphorical Features of Computer Language in English from the Perspective of Cognition,” *Proc. - 2020 Int. Conf. Comput. Vision, Image Deep Learn. CVIDL 2020*, no. Cvidl, hal. 278–280, 2020, doi: 10.1109/CVIDL51233.2020.00-86.