

DAFTAR PUSTAKA

- [1] F. D. Scott, K. A. Kang, and G. M. Williams, "Diagnosis of deep vein thrombosis with NIR spectroscopy," *Annu. Int. Conf. IEEE Eng. Med. Biol. - Proc.*, vol. 2, p. 1101, 1999, doi: 10.1109/iembs.1999.804263.
- [2] F. N. Rohmawati, H. G. Ariswati, and B. Utomo, "Alat Pengukur Glukosa Darah Non Invasive Berdasarkan Perbedaan Suhu Tragus dan Antihelix," *Semin. Skripsi*, pp. 1–9, 2017.
- [3] H. Y. Resti, W. H. Cahyati, and I. Artikel, "Kejadian Diabetes Melitus pada Usia Produktif di Puskesmas Kecamatan Pasar Rebo," *Higeia J. Public Heal. Res. Dev.*, vol. 6, no. 3, pp. 350–361, 2022, [Online]. Available: <http://journal.unnes.ac.id/sju/index.php/higeia>
- [4] K. Lawand, M. Parihar, and S. N. Patil, "Design and development of infrared LED based non invasive blood glucometer," *12th IEEE Int. Conf. Electron. Energy, Environ. Commun. Comput. Control (E3-C3), INDICON 2015*, pp. 1–6, 2016, doi: 10.1109/INDICON.2015.7443487.
- [5] E. V. Sakhbieva, S. Levit, I. N. Musin, M. S. Lisanevich, and E. E. Tsareva, "Application of high technologies in modern diabetology," *J. Phys. Conf. Ser.*, vol. 1889, no. 5, pp. 0–8, 2021, doi: 10.1088/1742-6596/1889/5/052022.
- [6] J. Jeya Padmini, R. Kavya, B. Ilakkiya, R. Gurupriya, and P. Monika, "A Non-invasive Way of Diagnosing Diabetes Based on the Heart Beat

- Rate,” *Proc. 4th Int. Conf. Inven. Syst. Control. ICISC 2020*, no. Icisc, pp. 337–341, 2020, doi: 10.1109/ICISC47916.2020.9171216.
- [7] X. Peng, Y. X. Yan, and H. Liu, “On the use of fiber lasers in non-invasive blood glucose monitoring,” *Opt. Fiber Technol.*, vol. 68, p. 102822, 2022, doi: 10.1016/j.yofte.2022.102822.
- [8] M. C. Cebedio, L. A. Rabioglio, I. E. Gelosi, R. A. Ribas, A. J. Uriz, and J. C. Moreira, “Analysis and Design of a Microwave Coplanar Sensor for Non-Invasive Blood Glucose Measurements,” *IEEE Sens. J.*, vol. 20, no. 18, pp. 10572–10581, 2020, doi: 10.1109/JSEN.2020.2993182.
- [9] B. Paul, M. P. Manuel, and Z. C. Alex, “Design and development of non invasive glucose measurement system,” *Proc. - ISPTS-1, 1st Int. Symp. Phys. Technol. Sensors*, pp. 43–46, 2012, doi: 10.1109/ISPTS.2012.6260873.
- [10] A. Kurniawan, “Alat Uji Kadar Gula Darah Non-Invasive Berbasis Atmega328P,” pp. 1–9, 2017.
- [11] J. Yadav, A. Rani, V. Singh, and B. M. Murari, “Prospects and limitations of non-invasive blood glucose monitoring using near-infrared spectroscopy,” *Biomed. Signal Process. Control*, vol. 18, pp. 214–227, 2015, doi: 10.1016/j.bspc.2015.01.005.
- [12] S. Sunny and S. S. Kumar, “Optical based non invasive glucometer with IoT,” *EPSCICON 2018 - 4th Int. Conf. Power, Signals, Control Comput.*, pp. 1–3, 2018, doi: 10.1109/EPSCICON.2018.8379597.

- [13] A. M. Joshi, P. Jain, S. P. Mohanty, and N. Agrawal, "IGLU 2.0: A New Wearable for Accurate Non-Invasive Continuous Serum Glucose Measurement in IoMT Framework," *IEEE Trans. Consum. Electron.*, vol. 66, no. 4, pp. 327–335, 2020, doi: 10.1109/TCE.2020.3011966.
- [14] E. Y. Al-Iraqi and R. A. Fayadh, "Measurement of Non-Invasive Blood Glucose Level by UWB Transceiver in Diabetic Patient Type-1-," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1105, no. 1, p. 012071, 2021, doi: 10.1088/1757-899x/1105/1/012071.
- [15] S. Jeyapriya and R. Ramalakshmi, "Glucose monitoring and control in diabetes using GSM and automatic insulin injector system for human bodies," *Proc. 2017 IEEE Int. Conf. Intell. Tech. Control. Optim. Signal Process. INCOS 2017*, vol. 2018-Febru, pp. 1–6, 2018, doi: 10.1109/ITCOSP.2017.8303082.
- [16] J. Y. Lucisano, T. L. Routh, J. T. Lin, and D. A. Gough, "Glucose Monitoring in Individuals with Diabetes Using a Long-Term Implanted Sensor/Telemetry System and Model," *IEEE Trans. Biomed. Eng.*, vol. 64, no. 9, pp. 1982–1993, 2017, doi: 10.1109/TBME.2016.2619333.
- [17] F. Teknik *et al.*, "Alat Ukur Kadar Glukosa Darah Non-Invasive Terhubung," vol. 12, no. 1, 2021.
- [18] L. M. Pires, J. Martins, and N. B. Glucose, "Design and Implementation Low-Power Device for Non-Invasive Blood Glucose Design and Implementation Low-Power Device for," 2024, doi: 10.20944/preprints202405.0702.v1.

- [19] K. T. Putra *et al.*, “Optimizing the Performance of AI Model for Non-Invasive Continuous Glucose Monitoring: Hyperparameter Tuning and Random Oversampling Approach,” *Int. J. Informatics Vis.*, vol. 8, no. 2, pp. 991–1000, 2024, doi: 10.62527/joiv.8.2.2047.
- [20] E. Agus Suprayitno, A. Setiawan, and R. Dijaya, “Design of Instrumentation in Detecting Blood Sugar Levels with Non-Invasive Technique Base on IoT (Internet of Things),” *Int. J. Eng. Technol.*, vol. 7, no. 4.15, p. 440, 2018, doi: 10.14419/ijet.v7i4.15.25252.
- [21] Muhammad Nur Fariz and Jamaaluddin, “Design for Monitoring Blood Pressure, Non-Invasive Blood Sugar, Weight, and Body Temperature Based on Internet of Things,” *Procedia Eng. Life Sci.*, vol. 1, no. 1, 2021, doi: 10.21070/pels.v1i1.814.
- [22] A. Kevin Amos, T. Rajalakshmi, and D. Raja, “Portable non-invasive glucose and haemoglobin level monitoring incorporated along with multi paramonitoring system,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 912, no. 6, 2020, doi: 10.1088/1757-899X/912/6/062034.
- [23] H. Ali, F. Bensaali, and F. Jaber, “Novel Approach to Non-Invasive Blood Glucose Monitoring Based on Transmittance and Refraction of Visible Laser Light,” *IEEE Access*, vol. 5, no. c, pp. 9163–9174, 2017, doi: 10.1109/ACCESS.2017.2707384.
- [24] H. Mittal, L. Mathew, and A. Gupta, “Design and Development of an Infant Incubator for Controlling Multiple Parameters,” vol. 11, pp. 65–72, 2015.

- [25] S. Mohanram and A. Shirly Edward, "Measurement of Blood Glucose using Non-Invasive Methods - A Review," *J. Phys. Conf. Ser.*, vol. 1964, no. 6, 2021, doi: 10.1088/1742-6596/1964/6/062022.
- [26] P. S. K. Reddy, D. Mahesh, C. Uday Teja, M. Janaki, and K. Mannem, "Non-Invasive Glucose Monitoring Using NIR Spectroscopy," *J. Phys. Conf. Ser.*, vol. 2325, no. 1, 2022, doi: 10.1088/1742-6596/2325/1/012021.
- [27] SANGKOT RIANA, "Rancang Bangun Alat Ukur Kadar Gula Darah Berbasis Arduino Uno," *J. Pembang. Wil. Kota*, vol. 1, no. 3, pp. 82–91, 2017.
- [28] N. Edgar, R. Maulana, and B. H. Prasetyo, "Pengembangan Sistem Deteksi Diabetes Mellitus Tipe 2 berbasis Photoplethysmography menggunakan K-Nearest Neighbor," *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 6, no. 4, pp. 1548–1557, 2022, [Online]. Available: <http://j-ptiik.ub.ac.id>
- [29] Y. Zhang, J. M. Zhu, Y. B. Liang, H. B. Chen, S. M. Yin, and Z. C. Chen, "Non-invasive blood glucose detection system based on conservation of energy method," *Physiol. Meas.*, vol. 38, no. 2, pp. 325–342, 2017, doi: 10.1088/1361-6579/aa50cf.
- [30] R. Marzel, "Terapi pada DM Tipe 1," *J. Penelit. Perawat Prof.*, vol. 3, no. 1, pp. 51–62, 2020, doi: 10.37287/jppp.v3i1.297.
- [31] H. Bhatt, S. Saklani, and K. Upadhyay, "Anti-oxidant and anti-diabetic activities of ethanolic extract of *Primula Denticulata* Flowers," *Indones. J. Pharm.*, vol. 27, no. 2, pp. 74–79, 2016, doi:

10.14499/indonesianjpharm27iss2pp74.

- [32] M. Elgendi, *PPG Signal Analysis*. 2020. doi: 10.1201/9780429449581.
- [33] A. Imad, N. A. Malik, B. A. Hamida, G. H. Seng, and S. Khan, “Acoustic Photometry of Biomedical Parameters for Association with Diabetes and Covid-19,” *Emerg. Sci. J.*, vol. 6, no. Special Issue, pp. 42–56, 2022, doi: 10.28991/esj-2022-SPER-04.
- [34] Maxim Integrated, “MAX30102 - High-Sensitivity Pulse Oximeter and Heart-Rate Sensor for Wearable Health,” *Maxim Integr.*, pp. 1–32, 2021, [Online]. Available: <https://www.maximintegrated.com/en/products/sensors/MAX30102.html>
- [35] T. Nurmar’atin, *Deteksi Kadar Kolesterol Dalam Darah Secara Non-Invasive Menggunakan Sistem Telemedika Berbasis IOT*. 2021. [Online]. Available: <https://eprints.walisongo.ac.id/id/eprint/16263/>
- [36] diah safitri Syilfi, dwi ispriyanti, “Analisis Regresi,” *J. Gaussin*, vol. 1, 2017.
- [37] D. Putri, “Mengenal WeMos D1 dalam Dunia IOT,” *Mengen. Wemos D1 Mini Dalam Dunia IoT*, vol. 1, p. 2,3,4,6,7, 2017, [Online]. Available: <https://docplayer.info/53415965-Mengenal-wemos-d1-mini-dalam-dunia-iot.html>
- [38] H. A. Kusuma, *Pemrograman Dasar Internet of Things Menggunakan ESP8266*, no. September. 2022. [Online]. Available: <https://www.researchgate.net/publication/3634298>

- [39] G. W. Nugroho and R. Effendi, "Rancang Bangun Sistem Pengukuran Luas Permukaan Kulit Menggunakan Konveyor dan Sensor Optik Berbasis Arduino," *J. Tek. ITS*, vol. 11, no. 1, 2022, doi: 10.12962/j23373539.v11i1.82219.
- [40] الاطفال لدى القلق من الحد في الحركية الالعباب تأثير، "الواحد عبد ا. بعمر (4 – 5) سنوات," *J. Phys. Educ.*, vol. 28, no. 4.1, pp. 83–96, 2019, doi: 10.37359/jope.v28(4.1)2016.433.
- [41] W. D. Hill, "Battery," *English J.*, vol. 69, no. 5, p. 55, 1980, doi: 10.2307/817656.