

## DAFTAR PUSTAKA

- [1] D. Jayatilake, T. Isezaki, Y. Teramoto, K. Eguchi, and K. Suzuki, "Robot assisted physiotherapy to support rehabilitation of facial paralysis," *IEEE Trans. Neural Syst. Rehabil. Eng.*, vol. 22, no. 3, pp. 644–653, 2014, doi: 10.1109/TNSRE.2013.2279169.
- [2] P. S. Yuliani, "Karakteristik Pasien Bell's Palsy di RSUD Wahidin Sudirohusodo Makassar," *Fak. Kedokt. Univ. Hasanuddin*, vol. 5, no. 3, pp. 248–253, 2022.
- [3] N. Mujaddidah, "Tinjauan Anatomi Klinik dan Manajemen Bell's Palsy," *Qanun Med. - Med. J. Fac. Med. Muhammadiyah Surabaya*, vol. 1, no. 02, pp. 1–11, 2017, doi: 10.30651/qm.v1i02.634.
- [4] T. Walski *et al.*, "The effect of red-to-near-infrared (R/NIR) irradiation on inflammatory processes," *Int. J. Radiat. Biol.*, vol. 95, no. 9, pp. 1326–1336, 2019, doi: 10.1080/09553002.2019.1625464.
- [5] I. Civilization, TEMA 19, and E. Domenico, *BELL'S PALSY*. 2021.
- [6] D. Barolet, "Light-Emitting Diodes (LEDs) in Dermatology," *Semin. Cutan. Med. Surg.*, vol. 27, no. 4, pp. 227–238, 2008, doi: 10.1016/j.sder.2008.08.003.
- [7] H. T. Whelan *et al.*, "Effect of NASA light-emitting diode irradiation on molecular changes for wound healing in diabetic mice," *J. Clin. Laser Med. Surg.*, vol. 21, no. 2, pp. 67–74, 2003, doi: 10.1089/104454703765035484.
- [8] E. T. Wahyun, "Penatalaksanaan Fisioterapi Pada

- Kasus Bell ' S Palsy Sinistra Dengan Modalitas Infra Red , Electrical Stimulation ( Faradic ) Dan Mirror Exercise,” vol. 1, pp. 39–43, 2014.
- [9] J. H. Lee, M. R. Roh, and K. H. Lee, “Effects of infrared radiation on skin photo-aging and pigmentation,” *Yonsei Med. J.*, vol. 47, no. 4, pp. 485–490, 2006, doi: 10.3349/YMJ.2006.47.4.485.
- [10] M. Frank, H. Il, G. Thieberger, and U. S. Ci, “( 12 ) United States Patent,” vol. 2, 2018.
- [11] S. Y. Ng and M. H. E. Chu, “Treatment of Bell’s Palsy Using Monochromatic Infrared Energy: A Report of 2 Cases,” *J. Chiropr. Med.*, vol. 13, no. 2, pp. 96–103, Jun. 2014, doi: 10.1016/J.JCM.2014.06.010.
- [12] X. Liu, J. Feng, R. Zhang, J. Luan, and Z. Wu, “Quantitative assessment of Bell’s palsy-related facial thermal asymmetry using infrared thermography: A preliminary study,” *J. Therm. Biol.*, vol. 100, p. 103070, Aug. 2021, doi: 10.1016/J.JTHERBIO.2021.103070.
- [13] D. Nasari, “PENATALAKSANAAN INFRA RED DAN TERAPI LATIHAN UNTUK MENGURANGI NYERI, OEDEMA DAN MENINGKATKAN LINGKUP GERAK SENDI PADA KASUS POST ORIF FRAKTUR HUMERUS 1/3 PROKSIMAL DEXTRA DI RUMAH SAKITUMUM DR. LOEKMONO HADI KUDUS,” 2019, Accessed: Mar. 05, 2024. [Online]. Available: [https://eprints.ums.ac.id/74720/23/NASKAH\\_PUBLIKASI.pdf#:~:text=Menurut Sujatno%2C 1993%2C infra red adalah salah satu,35-45 cm tegak lurus dari area yang diterapi.](https://eprints.ums.ac.id/74720/23/NASKAH_PUBLIKASI.pdf#:~:text=Menurut Sujatno%2C 1993%2C infra red adalah salah satu,35-45 cm tegak lurus dari area yang diterapi.)

- [14] I. S, R. Vijayan, and S. Sukeshan, “Sadyovamana - An effective therapy in the management of Bell’s palsy – A case report,” *J. Ayurveda Integr. Med.*, vol. 13, no. 4, p. 100634, Oct. 2022, doi: 10.1016/J.JAIM.2022.100634.
- [15] V. H. Santiago, A. Flynn, F. Daly, and F. Sullivan, “Bell’s Palsy,” *Compr. Pharmacol.*, vol. 3, pp. 123–138, Jan. 2022, doi: 10.1016/B978-0-12-820472-6.00147-X.
- [16] C. Clinic, “Bell’s Palsy: What It Is, Causes, Symptoms & Treatment.” Accessed: Mar. 05, 2024. [Online]. Available: <https://my.clevelandclinic.org/health/diseases/5457-bells-palsy>
- [17] M. Fieux *et al.*, “French Society of ENT (SFORL) guidelines. Management of acute Bell’s palsy,” *Eur. Ann. Otorhinolaryngol. Head Neck Dis.*, vol. 137, no. 6, pp. 483–488, Dec. 2020, doi: 10.1016/J.ANORL.2020.06.004.
- [18] J. I. De Diego, M. P. Prim, R. Madero, and J. Gavilan, “Seasonal patterns of idiopathic facial paralysis: A 16-year study,” *Otolaryngol. - Head Neck Surg.*, vol. 120, no. 2, pp. 269–271, Feb. 1999, doi: 10.1016/S0194-5998(99)70418-3.
- [19] E. Peitersen, “Bell’s Palsy: The Spontaneous Course of 2,500 Peripheral Facial Nerve Palsies of Different Etiologies,” *Acta Otolaryngol.*, no. 549, pp. 4–30, 2002, doi: 10.1080/000164802760370736.
- [20] Dinkes\_banjar, “Kenali Gejala Bell’s Palsy - Situs Resmi Dinas Kesehatan Kota Banjar,” kenali gejala bell’s palsy. Accessed: Mar. 05, 2024. [Online]. Available: <https://dinkes.banjarkota.go.id/kenali->

gejala-bells-palsy/

- [21] J. dkk Munilson, “Diagnosis Dan Penatalaksanaan Bell ’ S Palsy,” *Sumatera Barat Fak. Kedokt. Univ. Andalas*, vol. 2, no. 1, pp. 2–7, 2016.
- [22] H. Lowis and M. N. Gaharu, “Artikel Pengembangan Pendidikan Keprofesian Berkelanjutan (P2KB),” *J Indon Med Assoc*, pp. 32–39, 2012.
- [23] “What Is the Difference between Near, Mid and Far Infrared? | Circle of Health Longmont.” Accessed: Mar. 24, 2024. [Online]. Available: <https://circleofhealthlongmont.com/blog/what-is-the-difference-between-near-mid-and-far-infrared>
- [24] E. D. D. Rianti, “Pemanfaatan Sinar Infra Merah Terhadap Kesehatan Manusia,” *J. Ilm. Kedokt. Wijaya Kusuma* 2, pp. 1–12, 2018.
- [25] “UNIVERSITAS INDONESIA RANCANG BANGUN ALAT TERAPI SINAR INFRA MERAH SKRIPSI”.
- [26] “Spectral range for near infrared (NIR) and mid-infrared (MIR) showing... | Download Scientific Diagram.” Accessed: Apr. 21, 2024. [Online]. Available: [https://www.researchgate.net/figure/Spectral-range-for-near-infrared-NIR-and-mid-infrared-MIR-showing-wavelengths-nm\\_fig1\\_338633707](https://www.researchgate.net/figure/Spectral-range-for-near-infrared-NIR-and-mid-infrared-MIR-showing-wavelengths-nm_fig1_338633707)
- [27] L. Finlayson *et al.*, “Depth Penetration of Light into Skin as a Function of Wavelength from 200 to 1000 nm,” *Photochem. Photobiol.*, vol. 98, no. 4, pp. 974–981, Jul. 2022, doi: 10.1111/php.13550.
- [28] “The Stefan Boltzmann Law”.
- [29] D. Barolet, F. Christiaens, and M. R. Hamblin,

“Infrared and skin: Friend or foe,” *J. Photochem.*

*Photobiol. B Biol.*, vol. 155, pp. 78–85, Feb. 2016, doi: 10.1016/J.PHOTOBIO.2015.12.014.

- [30] J. Joensen, J. H. Demmink, M. I. Johnson, V. V. Iversen, R. Á. B. Lopes-Martins, and J. M. Bjordal, “The Thermal Effects of Therapeutic Lasers with 810 and 904 nm Wavelengths on Human Skin,” <https://home.liebertpub.com/pho>, vol. 29, no. 3, pp. 145–153, Mar. 2011, doi: 10.1089/PHO.2010.2793.
- [31] F. Vatansever and M. R. Hamblin, “Far infrared radiation (FIR): Its biological effects and medical applications,” *Photonics Lasers Med.*, vol. 1, no. 4, pp. 255–266, 2012, doi: 10.1515/plm-2012-0034.
- [32] A. Bozkurt and B. Onaral, “Safety assessment of near infrared light emitting diodes for diffuse optical measurements,” *Biomed. Eng. Online*, vol. 3, no. 1, Mar. 2004, doi: 10.1186/1475-925X-3-9.
- [33] S. P. trish Luedtke, Susan Pingreerish Luedtke, “Dangers of Overexposure to ultraviolet, infrared and high-energy visible light | 2013-01-03 | ISHN,” *Industrial Safety and Health News*. Accessed: Mar. 05, 2024. [Online]. Available: <https://www.ishn.com/articles/94815-dangers-of-overexposure-to-ultraviolet-infrared-and-high-energy-visible-light>
- [34] D. Sheet, “Photometric specifications,” p. 7041, 2019.
- [35] A. Wunsch and K. Matuschka, “A Controlled Trial to Determine the Efficacy of Red and Near-Infrared Light Treatment in Patient Satisfaction, Reduction of Fine Lines, Wrinkles, Skin Roughness, and Intradermal Collagen Density Increase,” *Photomed.*

- Laser Surg.*, vol. 32, no. 2, p. 93, Feb. 2014, doi: 10.1089/PHO.2013.3616.
- [36] M. P. A. Tetra Putra, L. F. Wakidi, T. B. Indrato, R. Gopal, and A. Nurliana, “Non-Body Contact Thermometer with Voice Output Via Wireless Communication,” *J. Teknokes*, vol. 15, no. 2, pp. 96–102, 2022, doi: 10.35882/jteknokes.v15i2.245.
- [37] ERWIN SUSANTO, “Rancang Bangun Kendali Kecepatan berdasarkan Jarak pada Mobile Robot menggunakan Metode Fuzzy Logic Designing Controlled Speed Mobile Robot based on Distance using Fuzzy Logic Method,” *eProceedings Eng.*, vol. 2, no. 2, pp. 1973–1980, 2015.
- [38] Elang Sakti, “Arduino - Apa itu PWM? - Elang Sakti.” Accessed: Apr. 21, 2024. [Online]. Available: <https://www.elangsakti.com/2015/06/arduino-konsep-dan-cara-kerja-pwm.html>