

**ASUHAN KEPERAWATAN MENYUSUI TIDAK EFEKTIF PADA KLIEN  
DENGAN PREEKLAMPSIA BERAT *POST SECTIO CAESAREA* DI  
RUANG OBSERVASI INTENSIF RSUD DR. SOETOMO SURABAYA**

Juni Sutji Asmara  
Program Studi Pendidikan Profesi Ners  
Politeknik Kesehatan Kemenkes Surabaya  
Email: [juni.suci73@gmail.com](mailto:juni.suci73@gmail.com)

**ABSTRAK**

**Latar Belakang:** Klien preeklamsia berat setelah dilakukan *sectio caeserae* harus memperbaiki kondisinya dan tidak bisa menemui bayinya terlebih dahulu. Terjadilah menyusui tidak efektif yang ditandai dengan payudara membengkak dan peningkatan suhu tubuh. Tujuan penelitian ini adalah untuk mengetahui gambaran asuhan keperawatan pada klien pre-eklamsia berat *post sectio caesarea* dengan masalah keperawatan menyusui tidak efektif. **Metode:** Penelitian ini menggunakan metode studi kasus dengan pendekatan asuhan keperawatan melalui 5 tahap yaitu pengkajian, diagnosis keperawatan, intervensi, implementasi, dan evaluasi. Subyek penelitian ini adalah dua klien primigravida dengan pre eklamsia berat *post sectio caesarea* hari kedua. Teknik dan instrumen pengumpulan data dengan menggunakan format asuhan keperawatan maternitas yang berlaku di program studi Pendidikan Profesi Ners yaitu wawancara, observasi, pemeriksaan fisik, dan dokumentasi. **Hasil:** Pengkajian keluhan sunjek adanya pembengkakan payudara. Diagnosis keperawatan adalah menyusui tidak efektif sehubungan dengan tidak rawat gabung. Intervensi keperawatan yang disusun pada kedua klien adalah edukasi menyusui (I.12393), tindakan keperawatan meliputi identifikasi tujuan atau keinginan menyusui, pemberian dukungan peningkatan kepercayaan diri ibu. Evaluasi hari ke 3 klien sudah rawat gabung dan mampu melakukan perawatan payudara secara mandiri dan dapat menjelaskan cara menyusui bayi dengan benar. **Diskusi:** kedua klien tidak terjadi pembengkakan payudara, nyeri pada payudara berkurang dan kedua klien dapat menyusui anaknya dengan benar sesuai dengan edukasi menyusui yang diberikan.

**Kata Kunci:** Asuhan Keperawatan, Menyusui Tidak Efektif, Preeklamsia Berat, *Post Sectio Caesarea*

**BREASTING NURSING CARE IS NOT EFFECTIVE ON CLIENTS WITH SEVERE POST SECTIO CAESAREA PREECLAMPSIA IN THE INTENSIVE OBSERVATION ROOM, RSUD DR. SOETOMO SURABAYA**

Juni Sutji Asmara

*Nursing Professional Education Study Program*

*Health Polytechnic Ministry of Surabaya*

Email: [juni.suci73@gmail.com](mailto:juni.suci73@gmail.com)

**ABSTRACT**

**Background:** Clients with severe preeclampsia after sectio caeserae must improve their condition and cannot see their babies first. Ineffective breastfeeding occurs, which is characterized by swollen breasts and an increase in body temperature. The purpose of this study was to determine the description of nursing care for clients with severe pre-eclampsia, post-sectional caesarean, and ineffective breastfeeding problems. **Methods:** This study used a case study method with a nursing care approach through 5 stages: assessment, nursing diagnosis, intervention, implementation, and evaluation. The subjects of this study were two primigravida clients with severe preeclampsia on the second postpartum day. Data collection techniques and instruments used the format of maternity nursing care that applies to the Nurse Professional Education study program, namely interviews, observation, physical examination, and documentation. **Result:** Assessment of the subject's complaints of breast swelling. The nursing diagnosis was ineffective breastfeeding due to not being admitted to the hospital. Nursing interventions arranged for both clients include breastfeeding education (I.12393). Nursing actions include identifying the goals or desires of breastfeeding and providing support to increase the mother's confidence. Evaluation: On the third day, the client had been admitted to the hospital, was able to perform breast care independently, and could explain how to breastfeed the baby properly. **Discussion:** The two clients did not have breast swelling, the pain in the breasts was reduced, and the two clients can breastfeed their children properly according to the breastfeeding education provided.

**Keywords:** Nursing Care, Ineffective Breastfeeding, Severe Preeclampsia, Post Sectio Caesarea