

DAFTAR PUSTAKA

- [1] S. L. Orbell *et al.*, “Patient-level factors associated with the self-report of trouble sleeping to healthcare providers in adults at high risk for obstructive sleep apnea,” *Sleep Heal.*, vol. 9, no. 6, pp. 984–990, Dec. 2023, doi: 10.1016/J.SLEH.2023.08.007.

- [2] M. J. L. Raveslout, “Positional Treatment of Obstructive Sleep Apnea,” *Otolaryngol. Clin. North Am.*, Feb. 2024, doi: 10.1016/J.OTC.2024.01.002.

- [3] M. Liu *et al.*, “The relationship between obstructive sleep apnea and risk of renal impairment in patients with hypertension, a longitudinal study,” *Sleep Med.*, vol. 109, pp. 18–24, Sep. 2023, doi: 10.1016/J.SLEEP.2023.05.020.

- [4] I. G. Abella, A. R. Spector, J. D. Blitz, and M. Bowers, “Evaluation of a Pre-Operative Clinic’s Sleep Apnea Screening,” *Perioper. Care Oper. Room Manag.*, p. 100377, Feb. 2024, doi: 10.1016/J.PCORM.2024.100377.

- [5] J. S. Floras, "Sleep apnea and cardiovascular risk," *J. Cardiol.*, vol. 63, no. 1, pp. 3–8, Jan. 2014, doi: 10.1016/J.JJCC.2013.08.009.
- [6] M. Felix *et al.*, "Risk of obstructive sleep apnea and traffic accidents among male bus drivers in Ecuador: Is there a significant relationship?," *Ann. Med. Surg.*, vol. 74, no. December 2021, 2022, doi: 10.1016/j.amsu.2022.103296.
- [7] G. Pocobelli *et al.*, "Obstructive sleep apnea and risk of motor vehicle accident," *Sleep Med.*, vol. 85, pp. 196–203, Sep. 2021, doi: 10.1016/J.SLEEP.2021.07.019.
- [8] W. Bahagia and P. R. Ayu, "Sindrom Obstructive Sleep Apnea," *Medula*, vol. 9, no. 4, pp. 705–711, 2020.
- [9] F. Y. Fisker *et al.*, "Risk of permanent social security benefits and overview of work participation among patients with obstructive sleep apnea," *Sleep Med.*, vol. 108, pp. 16–21, Aug. 2023, doi: 10.1016/J.SLEEP.2023.05.011.

- [10] J. L. Pépin *et al.*, “Relationship Between CPAP Termination and All-Cause Mortality: A French Nationwide Database Analysis,” *Chest*, vol. 161, no. 6, pp. 1657–1665, Jun. 2022, doi: 10.1016/J.CHEST.2022.02.013.
- [11] P. Tondo *et al.*, “A preliminary report of gender differences in residual sleepiness of CPAP-treated obstructive sleep apnea,” *Sleep Epidemiol.*, vol. 4, p. 100077, Dec. 2024, doi: 10.1016/J.SLEEPE.2024.100077.
- [12] M. Mukhlis and A. Bakhtiar, “Obstructive Sleep Apneu (OSA), Obesitas Hypoventilation Syndrome (OHS) dan Gagal Napas,” *J. Respirasi*, vol. 1, no. 3, p. 94, 2019, doi: 10.20473/jr.v1-i.3.2015.94-102.
- [13] P. A. Cistulli *et al.*, “Short-term CPAP adherence in obstructive sleep apnea: a big data analysis using real world data,” *Sleep Med.*, vol. 59, pp. 114–116, 2019, doi: 10.1016/j.sleep.2019.01.004.
- [14] B. N. Morey, S. Ryu, Y. Shi, S. Redline, I. Kawachi, and S. Lee, “Associations between sleep apnea risk and cardiovascular disease indicators

- among Chinese and Korean Americans,” *Sleep Epidemiol.*, vol. 2, p. 100037, Dec. 2022, doi: 10.1016/J.SLEEPE.2022.100037.
- [15] N. McArdle, G. Devereux, H. Heidarnejad, H. M. Engleman, T. W. Mackay, and N. J. Douglas, “Long-term use of CPAP therapy for sleep apnea/hypopnea syndrome,” *Am. J. Respir. Crit. Care Med.*, vol. 159, no. 4 I, pp. 1108–1114, 1999, doi: 10.1164/ajrccm.159.4.9807111.
- [16] A. E. Putra and A. Amin, “Low Cost Continuous Positive Airway Pressure,” 2022.
- [17] W. Yan, G. Lopez, M. Shuzo, and I. Yamada, *Development of a Wearable Acoustic Respiration Sensor Using Piezoelectric Film*. 2012.
- [18] K. M. Rizki, R. Maulana, and W. Kurniawan, “Implementasi Sensor Piezoelectric Sebagai Prototype Alat Musik Piano Berbasis Arduino UNO,” *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 2, no. 11, pp. 4564–4571, 2018.

- [19] D. Patil, V. M. Wadhai, S. Gujar, K. Surana, P. Devkate, and S. Waghmare, "APNEA Detection on Smart Phone," *Int. J. Comput. Appl.*, vol. 59, no. 7, pp. 15–19, Dec. 2012, doi: 10.5120/9559-4022.
- [20] R. G. Manjunatha, N. Ranjith, Y. V. Meghashree, K. Rajanna, and D. R. Mahapatra, "Identification of different respiratory rate by a piezo polymer based nasal sensor," *Proc. IEEE Sensors*, pp. 1–4, 2013, doi: 10.1109/ICSENS.2013.6688479.
- [21] O. Atalay, W. R. Kennon, and E. Demirok, "Weft-knitted strain sensor for monitoring respiratory rate and its electro-mechanical modeling," *IEEE Sens. J.*, vol. 15, no. 1, pp. 110–122, 2015, doi: 10.1109/JSEN.2014.2339739.
- [22] D. P. Burbank and J. G. Webster, "Reducing skin potential motion artefact by skin abrasion," *Med. Biol. Eng. Comput.*, vol. 16, no. 1, pp. 31–38, 1978, doi: 10.1007/BF02442929.
- [23] J. A. van Alsté, W. van Eck, and O. E. Herrmann, "ECG baseline wander reduction using linear phase filters.," *Comput. Biomed. Res.*, vol. 19, no. 5, pp.

417–427, Oct. 1986, doi: 10.1016/0010-4809(86)90037-6.

- [24] A. T. Augousti, F. X. Maletras, and J. Mason, “Evaluation of cardiac monitoring using fiber optic plethysmography,” *Ann. Biomed. Eng.*, vol. 34, no. 3, pp. 416–425, Mar. 2006, doi: 10.1007/s10439-005-9060-x.
- [25] C. Rotariu, C. Cristea, D. Arotaritei, R. G. Bozomitu, and A. Pasarica, “Continuous respiratory monitoring device for detection of sleep apnea episodes,” *2016 IEEE 22nd Int. Symp. Des. Technol. Electron. Packag. SIITME 2016*, pp. 106–109, 2016, doi: 10.1109/SIITME.2016.7777255.
- [26] Z. Zhang, I. Silva, D. Wu, J. Zheng, H. Wu, and W. Wang, “Adaptive motion artefact reduction in respiration and ECG signals for wearable healthcare monitoring systems,” *Med. Biol. Eng. Comput.*, vol. 52, no. 12, pp. 1019–1030, 2014, doi: 10.1007/s11517-014-1201-7.
- [27] D. Keenan and F. Wilhelm, “Adaptive and wavelet filtering methods for improving accuracy of

respiratory measurement,” *Biomed. Sci. Instrum.*, vol. 41, pp. 37–42, Feb. 2005.

- [28] A. A. Fedotov, S. A. Akulov, and A. S. Akulova, “Motion artifacts reduction in wearable respiratory monitoring device,” *IFMBE Proc.*, vol. 65, pp. 1089–1090, 2018, doi: 10.1007/978-981-10-5122-7.
- [29] H. Suryawati, “Positive Airway Pressure sebagai Terapi Definitif Obstructive Sleep Apnea (OSA),” *Cermin Dunia Kedokt.*, vol. 45, no. 5, pp. 381–384, 2018, [Online]. Available: <http://www.cdkjournal.com/index.php/CDK/article/view/682>
- [30] A. Bhavani Sankar, D. Kumar, and K. Seethalakshmi, “Enhanced Method for Extracting Features of Respiratory Signals and Detection of Obstructive Sleep Apnea Using Threshold Based Automatic Classification Algorithm,” *Int. J. Comput. Sci. Emerg. Technol. (E)*, vol. 1, no. 4, pp. 2044–6004, 2010.

- [31] I. Mahbub, H. Wang, S. K. Islam, S. A. Pullano, and A. S. Fiorillo, "A low power wireless breathing monitoring system using piezoelectric transducer," *2016 IEEE Int. Symp. Med. Meas. Appl. MeMeA 2016 - Proc.*, 2016, doi: 10.1109/MeMeA.2016.7533756.