

DAFTAR PUSTAKA

- Arikunto (2019) *Prosedur Penelitian*, Jakarta : Rineka Cipta
- Althomali, R. et al. (2018) ‘Neonatal jaundice causes and management’, *International Journal Of Community Medicine And Public Health*, 5(11), pp. 4992–4996. doi: 10.18203/2394-6040.IJCMRH20184604.
- Bainbridge, N. & Heath, A. 2007. *Baby Massage* (Kekuatan Menenangkan dari Sentuhan). Jakarta: Dian Rakyat
- Battersby, C. et al. (2018) ‘Study protocol: optimising newborn nutrition during and after neonatal therapeutic hypothermia in the United Kingdom: observational study of routinely collected data using propensity matching’, *BMJ Open*, 8(10), p. e026739. doi: 10.1136/BMJOOPEN-2018-026739.
- Belay, H. G. et al. (2022) ‘Determinants of neonatal jaundice in Ethiopia: a systematic review and meta-analysis’, *World Journal of Pediatrics* 2022 18:11, 18(11), pp. 725–733. doi: 10.1007/S12519-022-00597-3.
- Bennett, C., Underdown, A. and Barlow, J. (2013) ‘Massage for promoting mental and physical health in typically developing infants under the age of six months’, *The Cochrane database of systematic reviews*, 2013(4). doi: 10.1002/14651858.CD005038.PUB3.
- Br Sembiring, J. (2019). Buku Ajar Neonatus, Bayi, Balita, Prasekolah (Pertama). Sleman: CV Budi Utama.
- Chen, C. F. et al. (2011) ‘Influence of Breast-feeding on Weight Loss, Jaundice, and Waste Elimination in Neonates’, *Pediatrics & Neonatology*, 52(2), pp. 85–92. doi: 10.1016/J.PEDNEO.2011.02.010.
- Dinas Kesehatan Provinsi Jawa Timur, Profil Kesehatan Provinsi Jawa Timur. 2021
- Eghbalian, F., Rafienezhad, H. and Farmal, J. (2017) ‘The lowering of bilirubin levels in patients with neonatal jaundice using massage therapy: A randomized, double-blind clinical trial’, *Infant Behavior and Development*, 49(May), pp. 31–36. doi: 10.1016/j.infbeh.2017.05.002.
- Eka Sari Santoso, S., Karuniawati, B. and Nur Fauziandari, E. (2022) ‘The Effect of Field Massage on Bilirubin Levels in Neonates with Hyperbilirubinemia’, *KnE Life Sciences*, 2022, pp. 335–344. doi: 10.18502/klv.v7i2.10327.

- Fairus, M. and Firda Fibrila, F. (2022) ‘Judul Efek Kombinasi Inisiasi Menyusu Dini dan I Love You Massage terhadap Breastfeeding Jaundice pada Bayi Baru Lahir’, *Jurnal Kesehatan Metro Sai Wawai*, 15(1), pp. 37–44.
- Field, T., Diego, M. and Hernandez-Reif, M. (2010) ‘Preterm Infant Massage Therapy Research: A Review’, *Infant behavior & development*, 33(2), p. 115. doi: 10.1016/J.INFBEH.2009.12.004.
- Field, T., Diego, M. and Hernandez-Reif, M. (2011) ‘Potential Underlying Mechanisms for Greater Weight Gain in Massaged Preterm Infants’, *Infant behavior & development*, 34(3), p. 383. doi: 10.1016/J.INFBEH.2010.12.001.
- Field, T. (2017) ‘Newborn Massage Therapy’, *International Journal of Pediatrics and Neonatal Health*, 1(2), pp. 54–64. doi: 10.25141/2572-4355-2017-2.0054.
- Govoni, L., Ricchi, A., Molinazzi, M. T., Galli, M. C., Putignano, A., Artioli, G., Foà, C., Palmieri, E., & Neri, I. (2019). Breastfeeding pathologies: Analysis of prevalence, risk and protective factors. *Acta Biomedica*, 90, 56–62. <https://doi.org/10.23750/abm.v90i4-S.8240>
- Gözen, D. et al. (2019) ‘Transcutaneous bilirubin levels of newborn infants performed abdominal massage: A randomized controlled trial’, *Journal for Specialists in Pediatric Nursing*, 24(2). doi: 10.1111/jspn.12237.
- Gürol, A. and Polat, S. (2012) ‘The effects of baby massage on attachment between mother and their infants’, *Asian Nursing Research*, 6(1), pp. 35–41. doi: 10.1016/j.anr.2012.02.006.
- Hidayat, A, A. (2010). *Metode Penelitian Keperawatan Dan Teknik Analisis Data* Jakarta : Salemba Medika
- Hidayat, A.A. 2007, Metode Penelitian Keperawatan dan teknik Analisa Data,, Penerbit Salemba medika
- Hidayat, Aziz Alimul. (2010). *Metode Penelitian Kesehatan*.Surabaya: Health Books
- Indanah, Karyati, S. and Yusminah (2019) ‘Efektifitas Pemberian ASI terhadap Penurunan Kadar Bilirubin’, *The 10th University Research Colloquium 2019*, pp. 565–571.
- Jazayeri, Z., Sajadi, M., Dalvand, H., & Zolfaghari, M. (2021). Comparison of the effect of foot reflexology and body massage on physiological indicators and bilirubin levels in neonates under phototherapy. *Complementary Therapies in Medicine*, 102684. <https://doi.org/10.1016/j.ctim.2021.102684>

- Jeong, S.-J. and Park, M.-K. (2018) ‘Effects of Infant Massage Therapy on Transcutaneous Bilirubin, Feeding, and Excretion in Neonates with Jaundice Undergoing Phototherapy’, *Journal of The Korean Society of Maternal and Child Health*, 22(1), pp. 25–34. doi: 10.21896/JKSMCH.2018.22.1.25.
- Karbandi, S., Boskabadi, H., & Esmaily, H. (2016). The Effects of Field Massage Technique on Bilirubin Level and the Number of Defecations in Preterm Infants. *Evidence Based Care Journal*, 5(4), 7–16. <https://doi.org/10.22038/ebcj.2015.6057>
- Kemenkes RI. 2021. Profil Kesehatan Indonesia 2020. Jakarta: Kemenkes RI.
- Koç, T. and Gözen, D. (2015) ‘The Effect of Foot Reflexology on Acute Pain in Infants: A Randomized Controlled Trial’, *Worldviews on evidence-based nursing*, 12(5), pp. 289–296. doi: 10.1111/WVN.12099.
- Korkmaz, G. and Esenay, F. I. (2020) ‘Effects of Massage Therapy on Indirect Hyperbilirubinemia in Newborns Who Receive Phototherapy’, *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 49(1), pp. 91–100. doi: 10.1016/j.jogn.2019.11.004.
- Krisnanto, P. D., Retnaningsih, L. N. and Lestiwati, E. (2019) ‘Efektifitas Pijat/Sentuhan Bayi Terhadap Kadar Bilirubin Pada Bayi Ikterik Di Ruang Bayi Rs Yogyakarta’, *Jurnal Keperawatan Respati Yogyakarta*, 6(1), p. 548. doi: 10.35842/jkry.v6i1.290.
- Kyu, H. H., Abate, D., Abate, K. H., Abay, S. M., Abbafati, C., Abbasi, N., Abbastabar, H., Abd-Allah, F., Abdela, J., Abdelalim, A., Abdollahpour, I., Abdulkader, R. S., Abebe, M., Abebe, Z., Abil, O. Z., Aboyans, V., Abrham, A. R., Abu-Raddad, L. J., Abu-Rmeileh, N. M. E., ... Murray, C. J. L. (2018). Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, 392(10159), 1859–1922. [https://doi.org/10.1016/S0140-6736\(18\)32335-3](https://doi.org/10.1016/S0140-6736(18)32335-3)
- Marmi, Rahardjo. Asuhan Neonatus, Bayi, Balita, dan Anak Pra Sekolah. Pustaka Pelajar: Yogyakarta, 2016.
- Mathindas, S. et al. (2013) ‘Hiperbilirubinemia Pada Neonatus’, *Jurnal Biomedik:JBM*, 5(1). doi: 10.35790/JBM.5.1.2013.2599.
- Mitra, S. and Rennie, J. (2017) ‘Neonatal jaundice: aetiology, diagnosis and treatment’, <https://doi.org/10.12968/hmed.2017.78.12.699>, 78(12), pp. 699–704. doi: 10.12968/HMED.2017.78.12.699.
- Notoatmodjo, S. 2010. *Metodologi Penelitian Kesehatan*. Jakarta : Rineka Cipta.

- Novianti, N., Mediani, H.Z., & Nurhidayah, I. (2017). *Pengaruh baby field massage sebagai terapi adjuvant terhadap kadar bilirubin serum bayi hiperbilirubinemia*, JKP. 5(3). 315-327
- Nursalam. 2016. *Metodologi Penelitian Ilmu Keperawatan Pendekatan Praktis* Edisi.4. Jakarta : Salemba Medika.
- Nyangabyaki-Twesigye, C. et al. (2020) ‘Prevalence, factors associated and treatment outcome of hyperbilirubinaemia in neonates admitted to St Francis hospital, Nsamba, Uganda: a descriptive study’, *African Health Sciences*, 20(1), p. 397. doi: 10.4314/AHS.V20I1.46.
- Oswari Hanifah, 2017. Apa Yang Saya Perlu Tahu Mengenai Kuning Pada Bayi Baru Lahir. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia
- Puspita, N. (2018) ‘The Effect of Low Birthweight on the Incidence of Neonatal Jaundice in Sidoarjo’, *Jurnal Berkala Epidemiologi*, 6(2), pp. 174–181. doi: 10.20473/JBE.V6I22018.174-181.
- Rahmatnezhad, L. et al. (2018) ‘The Impact of Baby Massage Training on Awareness, Perceived Stress and Breastfeeding Self-Efficacy of Mothers with Hospitalized Neonate’, *International Journal of Pediatrics-Mashhad*, 6(10), pp. 8297–8306. doi: 10.22038/ijp.2018.32043.2833.
- Rai, S., Sood, M. and Kaur, A. (2022) ‘Is perinatal asphyxia associated with an increase in serum bilirubin in neonates? A case-control study’, *Journal of Family Medicine and Primary Care*, 11(7), p. 3840. doi: 10.4103/JFMP.JFMP_1018_21.
- Ratuain, M. O., Wahyuningsih, H. P., & Purnamaningrum, Y. E. (2015). Hubungan Antara Masa Gestasi dengan Kejadian Ikterus Neonatorum. *Jurnal Kesehatan Ibu Dan Anak*, 7(1), 52–54.
- Ridha, N. H. (2017). Buku Ajar Keperawatan Anak. (S. Riyadi, Ed.). Yogyakarta: Pustaka Pelajar.
- Setiarini, W. (2022) ‘Pengaruh Baby Field Massage Therapy Terhadap Kadar Bilirubin Serum Pada Bayi Dengan Hiperbilirubinemia Tahun 2020’, *Jurnal Kesehatan*, 9(2), pp. 119–132. doi: 10.35913/jk.v9i2.238.
- Seyedi, R. et al. (2019) ‘Relationship between neonatal skin bilirubin level and severe jaundice with maternal, childbirth, and neonatal characteristics’, *Iranian Journal of Neonatology*, 10(2), pp. 61–67. doi: 10.22038/ijn.2019.33282.1478.

- Sheidaei, A. *et al.* (2016) ‘The effectiveness of massage therapy in the treatment of infantile colic symptoms: A randomized controlled trial’, *Medical Journal of the Islamic Republic of Iran*, 30(1), p. 351. Available at: [/pmc/articles/PMC4934450/](https://pmc/articles/PMC4934450/) (Accessed: 13 November 2022).
- Tani, F., & Castagna, V. (2017). Maternal social support, quality of birth experience, and post-partum depression in primiparous women. *Journal of Maternal-Fetal and Neonatal Medicine*, 30(6), 689–692. <https://doi.org/10.1080/14767058.2016.1182980>
- Ullah, S., Rahman, K. and Hedayati, M. (2016) ‘Hyperbilirubinemia in Neonates: Types, Causes, Clinical Examinations, Preventive Measures and Treatments: A Narrative Review Article’, *Iranian Journal of Public Health*, 45(5), p. 558. Available at: [/pmc/articles/PMC4935699](https://pmc/articles/PMC4935699).
- Vicente, S., Veríssimo, M. and Diniz, E. (2017) ‘Infant massage improves attitudes toward childbearing, maternal satisfaction and pleasure in parenting’, *Infant behavior & development*, 49, pp. 114–119. doi: 10.1016/J.INFBEH.2017.08.006.
- Widiawati S. (2017). Juni 2017 Hubungan sepsis neonatorum , BBLR dan asfiksia dengan kejadian ikterus pada bayi baru lahir Susi Widiawati Abstrak PENDAHULUAN Masalah yang sering dialami oleh bayi baru lahir adalah Ikterus neonatorum yaitu pewarnaan kuning yang tampak pada skl. *Riset Informasi Kesehatan*, 6(1), 52–57.
- World Health Organization, 2020. Immigrant newborn and physiological Jaundice: Journal Neonatal Biology. Vol.6, no.2. 2020.
- Zulfiana, Y. *et al.* (2022) ‘Website: <https://jqph.org/> | Email: jqph@strada.ac.id Baby Massage on Gross Motor Development in Infants’, *Journal for Quality in Public Health*, 5(2), pp. 385–389. doi: 10.30994/jqph.v5i2.288.